

Welcome to the Decking & Railing Collection.

For more than 100 years, homeowners and building professionals have trusted CertainTeed for the highest quality building products, and continually setting the standards for exciting innovations in style and performance.

Today, that spirit of innovation comes to life in the CertainTeed Decking & Railing Collection with the industry's leading array of colors, styles, and performance. The EverNew® railing product lines offer a combination of superior quality and style that has become the premier choice of homeowners and building professionals.

The comforts of home are no longer defined by four walls. Outside living spaces are "in" as porches, yards and gardens are transformed into beautiful open-air rooms. If you're longing for the joys of fresh air living, CertainTeed can help. Our Living Spaces® exterior products suite, including siding, soffit and accessories, porch, decking, railing, fence and roofing products, offers everything you need to create

and define your own

great outdoors.





#### Our commitment to safety

CertainTeed products meet stringent requirements for quality and performance. Safe, secure and durable, our railing and deck systems are engineered to provide years of worry-free enjoyment.

#### **Performance that lasts**

EverNew® railing products are designed to maintain their integrity over time. Products made of wood may meet code when they're brand new, but can weaken over time — especially after prolonged exposure to the elements. This is an important concern if you're installing railing as a safety barrier on balconies and stairs.

EverNew ensures long-lasting performance by building security into every railing system. Our railing features heavy-duty construction for enduring strength. When it comes to rail-to-post connections, simply using plastic brackets isn't enough. EverNew bracketed vinyl railing offers aluminum brackets concealed with molded vinyl covers for critical protection from the elements.

#### Meeting the standards of the ICC

The ICC (International Code Council) is an independent, nonprofit organization responsible for the development of national model construction codes. The ICC Evaluation Service, Inc. (ICC-ES) is the leading source of technical information on building codes, products and technology in the United States. ICC-ES conducts technical evaluations of building products, components, methods and materials. Building industry professionals look to ICC-ES evaluation reports for evidence that products and systems meet code requirements. EverNew railing systems comply with the standards established by the ICC. Oxford and



Kingston in white with square balusters

Kingston vinyl railing systems have undergone third party testing as designated respectively in reports CCRR-0187 and CCRR-0211.

#### **Details make the difference**

EverNew railing offers everything you need to install with confidence:

- ◆ Heavy-duty rails offer exceptional durability
- ◆ Secure rail-to-post connections
- ◆ Aluminum rail mount brackets provide added strength
- ◆ Concealed hardware won't rust or corrode
- Railing heights approved for deck, balcony, porch and stair applications
- ◆ Features "on-center" post spacing
- Class A flame-spread rating for a safer outdoor environment
- ◆ Outstanding warranty coverage with exclusive SureStart™ parts and labor protection
- ◆ Splinter-free surfaces
- Easy to install and clean
- ♦ Virtually maintenance-free; no painting or staining
- ♦ Safe and secure
- Consistent quality and appearance

# CERTAINTEED EVERNEW®: YOUR ONE-STOP SOURCE FOR QUALITY PRODUCTS

EverNew railing is designed to keep its good looks for years to come, without a lot of maintenance. It won't warp, rot, split or corrode, and it never needs staining or painting.

With EverNew, you can rest assured that years from now our products will perform as beautifully and securely as the day they were installed. CertainTeed stands behind the EverNew decking and railing products with exceptional warranty protection, for your added assurance of quality and safety.



All of CertainTeed's decking and railing products are covered by SureStart protection for five years. Under this warranty

feature, CertainTeed, at no charge, will repair or replace, at its option, any product proven to be defective during the SureStart period (see actual warranty for details).

#### Sustainablity for a lifetime

CertainTeed respects the environment through the responsible development of sustainable building products and systems. CertainTeed EverNew railing products give building professionals and homeowners confidence that the homes they design, build, maintain, and occupy are made with sustainable materials that enhance every project's performance and beauty.

For more information on CertainTeed's Life Cycle Assessment Report go to www.certainteed.com/life-cycle-assessment

#### **Railing colors**

EverNew's colors are designed to complement almost any deck color. EverNew has a railing color for your space. No matter what deck material or color you use, EverNew® has a railing to coordinate.



#### The benefits of vinyl

- Durable construction weatherable vinyl exterior with aluminum reinforced rails offers low maintenance
- Precision-fit components provide a snug, secure fit with fast and easy installation
- Safe and sound metal-to-wood and metal-to-metal rail-to-post connections
- ◆ Convenient packaging in complete section boxed kits
- Wide variety of accessories, including posts, caps, and post trims that coordinate with all railing systems

#### **Rest-assured features**

#### pressure-treated wood

Short lifespan Inconsistent quality Very high maintenance Prone to rot and decay Splinters, cracks, knots Toxic chemical preservatives Class C fire rating

### EverNew® railing and deck systems

Exceptional durability
Consistent quality
Low maintenance
No rot or decay
No splinters, cracks or knots
No toxic chemical preservatives
Class A flame-spread rating



Pressure-treated wood




EverNew vinyl

# Oxford



# VINYL ROUTED RAILING SYSTEM



For safe, secure vinyl railing applications, there's no better choice than the Oxford routed system. The routed Oxford system features a unique internal rail-to-post connection and hidden hardware, so there are no unsightly brackets to detract from the look of the railing. The aluminum reinforced rail connects to a sturdy galvanized post support kit inside the routed post, for a completely concealed metal-to-metal connection.

- "T"-rail top and 2 x 4 bottom rail with hidden hardware system
- Aluminum reinforced rail connects to sturdy galvanized steel post support kit inside the routed post
- Posts routed specifically for all post applications
- ◆ Features "on-center" post spacing
- Suitable for residential and commercial applications - including multifamily and over three story installations
- Canadian railing code compliant up to 8' span for exterior guard rail system for one- and two-family dwellings
- Independent tested as designated in report CCRR-0187
- Meets IBC standards for building safety
- Class A flame-spread rating
- ◆ Lifetime limited transferable warranty with 5-year SureStart™ protection
- Choice of four baluster styles: square, classic (white and almond only), glass (clear), and round aluminum
- Available in two heights and three lengths
- ◆ Available in three colors: white, almond and clay



Oxford with classic balusters in white







Almond

Clay

# Oxford

# 2" 3-1/2" 3' 3-1/2 27" 33" 3-1/2' 2" (wood deck mounting shown here) Standard: 25° min-37° max Steep stair: 37° min-42° max

#### Post caps and trims

## Aluminum reinforced top and bottom rail\*

- 6' and 8' Lengths standard in flat, stair and steep stair
- 10' Lengths standard in flat and stair

#### Rail plate



- Made of stainless steel
- Screw flange secures top rails inside post
- Oval cut out works for all flat and stair applications

#### **E-Z Set brackets**



- Made of aluminum
- Keeps post square and snug

#### Sturdy post support pipe

- Hot-dipped galvanized steel
- 1-5/8" Outside diameter

#### **Baluster styles**



- Square
- Round aluminum baluster
- Classic baluster (white and almond only)

# 4" tempered glass baluster infill

• Clear available in 3-1/2' only




#### Weather-resistant vinyl post sleeve

• Square available in 3' and 3-1/2' heights

# Secure post mounting systems

 Post support kits provided for both wood and concrete applications



#### **Attractive precision-fit components**


#### **Baluster hole spacing**

- Top and bottom rails are routed to accept balusters
- Stair baluster spacing is wider to account for racking

#### Stair/step section

- Post center spacing on diagonal: 6' section covers 68" at 32°
- 8' Section covers 90" at 32°, 10' section covers 117" at 32°
- $\bullet$  6' Section covers 71" at 42°, 8' section covers 96" at 42°


<sup>\*</sup>Refer to product matrix for actual product specifications.



#### **Oxford Gate Kit**

Improved design for enhanced performance and easier ordering

- Heavy duty internal aluminum frame
- Stainless steel fasteners
- Features 2x4 rails
- · High quality gate hardware
- Available in all colors, both heights, and square, classic and aluminum balusters (classic style available in white and almond only)
- Self closing hinges
- Easy to assemble



#### **Oxford Glass Balusters**

EverNew glass balusters combine high-end style with the quality and performance features that are distinctly CertainTeed. Our glass balusters are designed to work with either the routed or bracketed Oxford railing system.

- ◆ Clear 4" x 3/8" tempered glass
- Beveled balusters work for flat and stair applications
- 3-1/2' baluster height provides a clear view
- Routed rails eliminate the need to fasten and screw balusters without extra brackets
- Bracketed and routed post connections
- Suitable for one- and two-family dwellings/townhouses that are not more than three stories high
- ◆ Independent tested as designated in report CCRR-0187
- ◆ Lifetime limited transferable warranty with SureStart™ protection






Clear Balusters



# VINYL BRACKETED RAILING SYSTEM



Designed for use with existing wood posts, the Oxford bracketed railing system offers everything you need for a safe and secure railing installation. Oxford goes the extra mile with standard features like concealed aluminum rail mount brackets and stainless steel screws, for long-lasting strength and peace of mind.

- "T"-rail top and 2 x 4 bottom rail for sleeve-over installations
- Aluminum rail mount brackets provide a safe and secure, metal-to-metal rail-to-post connection for greater strength and longevity
- ◆ Features "on-center" post spacing
- Suitable for residential and commercial applications - including multifamily and over three story installations
- Canadian railing code compliant up to 8' span for exterior guard rail system for one- and two-family dwellings
- Independent tested as designated in report CCRR-0187
- Meets IBC standards for building safety
- Class A flame-spread rating
- ◆ Lifetime limited transferable warranty with 5-year SureStart™ protection
- Choice of four baluster styles: square, classic (white and almond only), glass (clear), and round aluminum
- Available in two heights and three lengths
- ♦ Available in three colors: white, almond and clay



Oxford in clay with round aluminum balusters








Almond C

Clay

# Oxford



#### 4" x 4" Post caps

#### Vinyl trim cover

- Sleek design to conceal screws
- Easily altered for close baluster applications

#### Aluminum reinforced top and bottom rail\*

• 6', 8' and 10' Lengths standard in flat and stair

#### **Aluminum interior bracket**

- The critical rail to post stress point is secured by corrosion resistant aluminum
- Uniquely designed for specific applications



# 4"x 4" wood post (sold separately)

#### **Baluster styles**

- Square
- Round aluminum baluster
- Classic baluster (white and almond only)

# mond only)

# 4" tempered glass baluster infill

• Clear available in 3-1/2′ only

#### Weather-resistant vinyl post sleeve:

• Square available in 3' and 3-1/2' heights

#### **Attractive precision-fit components**

4"x 4" trim

# Standard 25° Min-37° Max


#### **Baluster hole spacing**

- Top and bottom rails are routed to accept balusters
- Stair baluster spacing is wider to account for racking

#### Stair/step section

- Post center spacing on diagonal: 6' Section covers 68" at 32°
- 8' Section covers 90" at 32°, 10' Section covers 117" at 32°

<sup>\*</sup>Refer to product matrix for actual product specifications.



#### **Oxford Gate Kit**

Improved design for enhanced performance and easier ordering

- Heavy duty internal aluminum frame
- Stainless steel fasteners
- Features 2x4 rails
- High quality gate hardware
- Available in all colors, both heights, and square, classic and aluminum balusters (classic style available in white and almond only)
- Self closing hinges
- Easy to assemble

#### **Oxford Bracket Options - Uniquely** designed for specific applications





column (minimum 8" round)





stair (field alteration)


#### **Secure Connection**

Aluminum brackets and corrosion-resistant stainless steel screws complete the connection between post and rail to provide a strong and reliable system.



Oxford with classic balusters in white





Kingston offers premium features you'd expect to find on higher-end systems, including high-quality aluminum rail mount brackets for superior safety and security. Secured by provided stainless steel fasteners, the aluminum brackets are completely concealed by molded vinyl covers, so you never have to worry about rust or corrosion.

- Classic bread-loaf rail design (on both top and bottom rails) for sleeve over applications
- Aluminum rail mount brackets provide a safe and secure metal-to-metal, rail-to-post connection for greater strength and longevity
- Unique molded vinyl bracket covers designed for flat, stair, column, 45° and 22-1/2° applications
- ◆ Features "on-center" post spacing
- Suitable for one- and two-family dwellings and townhouses not more than three stories high
- Canadian railing code compliant up to 8' span for exterior guard rail system for one- and two-family dwellings
- Independent tested as designated in report CCRR-0211
- Meets IRC standards for building safety
- Class A flame-spread rating
- ◆ Lifetime limited transferable warranty with 5-year SureStart™ protection
- Choice of three baluster styles: square available in all three colors, traditional in white and almond, and round aluminum
- Available in two heights and three lengths
- Available in three colors: white, almond and clay



Kingston with traditional balusters in white








White

Almond

Clay

# Kingston



#### 4" x 4" Post caps

#### Vinyl trim cover

- Sleek design to conceal screws and streamline appearance
- Easily altered for close baluster applications

## Rugged aluminum reinforced top and bottom rail\*

• 6′, 8′ and 10′ Lengths standard in flat and stair (10′ flat only)

#### **Aluminum interior bracket**

- The critical rail to post stress point is secured by corrosion resistant aluminum
- Uniquely designed for specific applications

#### 4" x 4" wood post (sold separately)

#### **Baluster styles**

- Square
- Traditional (3' white and almond only)
- Round aluminum baluster

# Weather-resistant vinyl post sleeve in square available in 3' and 3-1/2' heights

#### **Attractive precision-fit components**

#### **Molded crush block**

#### 4"x 4" trim


#### **Baluster hole spacing**

- Top and bottom rails are routed to accept balusters.
- Stair baluster spacing is wider to account for racking.

#### Stair/step section

• Post center spacing on diagonal: 8' Section covers 95" at 32°

\*Refer to product matrix for actual product specifications.



Kingston in white with round aluminum balusters

#### **Trim covers**



column (min 8" round)




standard and steep stair applications (longer cover allows for field cutting)



flat



22-1/2° left, 22-1/2° right



#### **Kingston Gate Kit**

Designed for enhanced performance and easy ordering

- Heavy duty internal aluminum frame
- Stainless steel fasteners
- Features 2" x 3-1/2" rails
- High quality gate hardware
- Available in all colors, all heights and all balusters (traditional style available in white and almond only)
- Self closing hinges
- Easy to assemble

#### **Square post and caps**

Vinyl blank posts available in... 4"x4": 38", 44", 48", 51-1/2", 107" 5"x5": 68", 107"



Square post



Gothic cap



Flat cap internal



Flat cap external



New England cap



Ball cap



Flat Pyramid cap (6"x 6" only)


#### **Solar Post Caps**

These solar powered lights have extremely efficient LED circuits powered by two rechargeable batteries. They are easy to install, are low maintenance, environmentally friendly and perfect for remote locations as they require no electricity. Solar post caps will fit 4"x 4" and 5"x 5" posts.

Batteries are included with all solar caps.



white



black

#### **Post trim**

Post trim can be used for finishing vinyl posts.\*\*

\*\*Not all accessories available in all colors. Refer to product catalog for colors and style availability.



**4-piece post trims** Available in 4"x 4"and 5"x 5" (matches porch post trims) Available in 6"x 6" (Adjusts to fit 4" to 6-1/2" posts)



1-piece post trims (Available in 4"x 4"and 5"x 5")
2-piece post trims (Available in 4"x 4")

#### **Post Support Kits (at a glance)**

Post support kits provide safe and secure mounting for railing systems.


- Concrete applications
- Wood applications
- Routed and bracketed systems

"Original" Post Support Kit	EZ Set II Bracketed Post Support Kit	The Mount Post Support Kit
For Routed System	For Bracket	ed Systems
Oxford	Oxford Kingston	Oxford Kingston
Wood & Concrete	Concrete	Wood or Concrete


## Railing Accessories

#### **Aluminum Handrail Component System**

- Complies with ADA (Americans with Disabilities Act) requirements for grippable handrails
- ◆ Ideal for use with EverNew railing systems
- Installs easily on site with no preformed fittings
- Unique adjustable joiners accommodates any transition - 0° to 90° bends
- Aluminum construction reduces bowing and provides enduring strength
- Safe for stair and ramp applications
- Continuous handrail runs
- ◆ 1-1/2" diameter gripping area
- Virtually maintenance free
- Lifetime limited warranty
- Functional finishing touches: post and wall returns, end caps, return loops and a convenient straight joiner



Note: Handrail depicted is not free standing and must be anchored to walls or guardrail using handrail bracket assembly (74028/74029). Space a maximum of 6' on center and as close as possible to both sides of any joint. (ADA compliant at 6ft spans)









- ◆ Excellent color retention
- Cool to the touch Barefoot Friendly™
- ♦ Easy to clean, non-porous vinyl surface
- Will not stain from spills
- ♦ Available in 12′, 16′ and 20′ lengths
- ♦ No visible screws or exposed hardware
- Independent tested as designated in report CCRR-0219
- ◆ Lifetime limited transferable warranty with 5-year SureStart™ protection

- 1. Snap-in fill pieces hide fasteners 12', 16' and 20' lengths
- 2. Easy-to-install planks screw directly to joists and prevent squeaking
- 3. Safe, non-slip, raised ridge tread
- 4. End cover fastener
- 5. End cover 12' lengths
- 6. Rigid multi-ribbed profile spans 24" joist spacing (16" recommended)
- 7. 3/4" fascia cover plug



White



Almond



Gray

EverNew® Vinyl	deck boards ar	nd fascia	
	Actual Width	Actual Thickness	Available Lengths
2x6 Deck boards	5-1/2"	1-1/2"	12′, 16′, 20′
-ascia	1-1/2" 3" 6"	7/8"	8′



# Porch Accessories

CertainTeed Structural Porch Posts, Columns and finishing accessories complement any project, no matter which railing style or system is chosen.

- Pivoting mounting plate for easy installation of porch post
- Aluminum reinforced for rigidity and strength
- Load bearing
- Tie-down connection of porch post eliminates need for separate hurricane tie-down kit
- No overhead jacking required
- Class A flame-spread rating



Tie-down mounting plates and 4-piece post trim kits for top and bottom included with the post.

 $\label{lem:cap-and-base} \textbf{Cap and base trim sets sold separately, required for installation.}$ 



Designed to coordinate with CertainTeed's vinyl decking and railing products, Certa-Snap® Wrap delivers all of the low-maintenance benefits of vinyl posts without having to replace existing wood porch posts.



- ♦ 8-piece system 4 vinyl post sections plus 4 corner trim pieces
- ♦ Components snap together for easy installation
- ◆ Available 4" x 4" or 6" x 6" in 10' lengths can be field cut to any length
- ♦ 4-piece post trim for top and bottom sold separately
- Class A flame-spread rating



White

#### Installation









**Trim accessory** 



# EverNew® Deck, Railing, Porch Posts, Wraps & Columns (at a glance)

	iling stems	BALUSTER SIZE	BALUSTER STYLE	BALUSTER SPACING	SECTION WIDTH (FLAT NOMINAL)	SECTION WIDTH (FLAT ACTUAL)	SECTION HEIGHTS	RAILS (FLAT SECTIONS)	TOP RAIL STYLE	BOTTOM RAIL STYLE
	Oxford	1-1/4" x 1-1/4" 3/4" diameter	Classic, Square, Round aluminum	3-3/8" Flat Aluminum baluster: 3-5/8"	72" 96" 120" <b>▲</b> ◆	71-1/2", 95-1/2", 119-1/2"	3' and 3-1/2'	3" x 3-1/2" x 71-1/2", 95-1/2" or 119-1/2" "T" Shaped Top Rail	"T"- Rail	2 x 4
VINYL	Oxford T-Rail Glass Baluster Infill	4" x 3/8"	Tempered Glass: Clear	3-7/8" Flat	72"	71-1/2"	3-1/2'	3" x 3-1/2" x 71-1/2" "T" Shaped Top Rail	"T"- Rail	2 x 4
	Kingston	1-1/2" x 1-1/2" 3/4" diameter	Traditional, Square, Round aluminum	3-7/16" Flat Aluminum baluster: 3-5/8"	72" 96" 120" ▲	68-1/2", 92-1/2", 116-1/2"	3' and 3-1/2'	3-1/4" x 1-1/2" x 68-1/2", 92- 1/2" or 116-1/2" Top & Bottom	Top Round	Top Round

Measurements for all railing systems are from center to center of post. Note actual rail lengths.

\*Vinyl railing is Canadian railing code compliant up to 8' span for exterior use guard rail system for 1 and 2 family dwellings.

▲ Not available for aluminum infill

◆ Available in white only

Wi	rch Posts, raps & lumns	DIMENSION	LENGTH	LOAD BEARING	UPLIFT	FINISH	ALUMINUM REINFORCEMENT	INCLUDES MOUNTING PLATE	WARRANTY	SURESTART™
	Colonial Post	5"x 5"	108"	5000 lbs.	1750 lbs.	Smooth	yes	yes	Lifetime Limited Transferable	5-Year
	Colonial Post	4"x 4"	108"	2600 lbs.	1750 lbs.	Smooth	yes	yes	Lifetime Limited Transferable	5-Year
	Square Post	5"x 5"	108"	5000 lbs.	1750 lbs.	Smooth	yes	yes	Lifetime Limited Transferable	5-Year
VINYL	Square Column	8"x 8"	108"	18000 lbs.	1585 lbs.	Smooth	yes	yes	Lifetime Limited Transferable	5-Year
	Tapered Round Column	8", 10"*	108"	18000 lbs.	1585 lbs.	Smooth	yes	yes	Lifetime Limited Transferable	5-Year
	Non-Tapered Round Column	8"	108"	18000 lbs.	1585 lbs.	Smooth	yes	yes	Lifetime Limited Transferable	5-Year
	Certa-Snap' Wrap	4"x 4", 6"x 6"	120"	NA	NA	Smooth	NA	NA	Lifetime Limited Transferable	5-Year

<sup>\* 8&</sup>quot; Tapered Round Column - 7-3/4" tapers to 6-1/8", 10" Tapered Round Column - 9-3/4" tapers to 8-1/8" (taper starts 48" from bottom)

De	cking	BOARD SIZE (ACTUAL)	BOARD SPACING	BOARD SIZE	BOARD LENGTH (NOMINAL)	BOARD SURFACE	FASCIA SIZE (ACTUAL)	FASCIA LENGTH	FASCIA SURFACE	JOIST SPACING
VINYL	EverNew Vinyl Decking	1-1/2" x 5-1/2"	1/8"	2" × 6"	12', 16', 20'	Raised Ridge Tread	7/8"x6" or 3" or 1-1/2"	8'	Smooth	16"

							COLO	R AVAI	LABILI	ГҮ
REINFORCEMENT	RAIL-TO-POST CONNECTION	CODE*	APPLICATION*	WARRANTY	SURESTART™	VALUE	WHITE	ALMOND	CLAY **	GRAY
Aluminum Top & Bottom	Routed post option or aluminum brackets with molded covers for flat, stair, column and 45°	CCRR-0187	Suitable for residential and commercial applications – including multi- family and over 3-story installation	Lifetime Limited & Transferable	5-Year	\$\$ - \$\$\$\$	•	•	•	
Aluminum Top & Bottom	Routed post option or aluminum brackets with molded covers for flat, stair, column and 45°	CCRR-0187	Suitable for 1 and 2-family dwellings and townhouses not more than 3-stories in height	Lifetime Limited & Transferable	5-Year	\$\$\$\$	•	•	•	
Aluminum Top & Bottom	Aluminum brackets with molded covers for flat, stair, steep stair, column, 45° and 22-1/2°	CCRR-0211	Suitable for 1 and 2-family dwellings and townhouses not more than 3-stories in height	Lifetime Limited & Transferable	5-Year	\$-\$\$	•	•	•	

<sup>\*\*</sup>ColorLast' Dark Color Fade Protection - Our acrylic formulation provides superior protection from the harsh rays of the sun, resulting in richer color that retains its vibrant hue for years to come. ColorLast is offered in Clay.

COLO	ſΥ		
•	•		
•	•		
•	•	•	
•			
•			
•			
•			

CODE	ODE APPLICATION V	WARRANTY	SURESTART™	COLO	R AVAII	_ABILIT
CCRR-0219	CCRR-0219 Decks, docks and porches	Lifetime Limited	5-Year	•	•	

<sup>\*</sup>Refer to code report for detailed application information and conditions of use.

# CertainTeed products are designed to work together and complement each other in color and style to give any home a beautiful finished look.



**POLYMER SHAKES & SHINGLES** 



VINYL SIDING



INSULATED SIDING



SOFFIT



PVC EXTERIOR TRIM & BEADBOARD



VINYL CARPENTRY\* TRIM



STONE



HOUSEWRAP



ROOFING AND VENTILATION



**DECKING AND RAILING** 



MOLDED FENCE



EXTRUDED FENCE





