

EnLiten™ Flush-Glazed Designs

for Fiber-Classic® Oak Collection™ & Smooth-Star® Doors & Sidelites

THERMA TRU
DOORS



Simplified beauty. Resilient designs.



Designs for any entry.

At Therma-Tru, we believe your door should always welcome you home – while playing seamlessly into your style. Our EnLiten™ flush-glazed designs create striking profiles that effortlessly combine indoor and outdoor living spaces, inviting in more natural light than ever. The possibilities are endless, giving you doors that perfectly fit your lifestyle.



Front Entry



Side Entry



Utility Door



Patio Doors

Top Left: Smooth-Star, Low-E Glass with SDLs, Door – S4814, Sidelites – S4812SL

Top Right: Smooth-Star, Internal Blinds, Door – S2600

Bottom Left: Fiber-Classic Oak Collection, Clear Glass with GBGs, Door – 2150

Bottom Right: Smooth-Star, Internal Blinds, Doors – S2600




Create a clean look with maximum views.

During manufacturing, double- or triple-pane glass is built directly into the door. This design eliminates the need for a lite frame and screw plugs, achieving a seamless, consistent finish. EnLiten™ flush-glazed designs offer up to a 16% increase in visible glass area as compared to conventional lite frames, creating an airy, open feeling in the home with larger daylight openings.



Flush-Glazed Glass



Lip-Lite Frame

up to **16%**
WIDER

See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass



Lip-Lite Frame



Seamless style. Controllable privacy.

Smooth-Star. doors with internal blinds featuring EnLiten flush-glazed designs deliver simplicity and convenience with contemporary appeal. Discover attractive, durable entry solutions for around the house, including patio, side and back doors allowing for optimal daylight and outdoor views, or complete privacy.

Strength is built-in.

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.



Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy-Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*



Withstands Winds Up to 167mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)

*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

**Must be installed as part of a Thermo-Tru door system in compliance with a Thermo-Tru product approval. Impact-rated products not available.

Left: Smooth-Star, Geometric Glass, Door – S2000XG, Sidelite – S2000XGSL


Middle: Smooth-Star, Internal Blinds, Door – S82600

Right: Smooth-Star, Clear Glass, Doors – S82200





Privacy & Textured Glass Options with Triple-Pane Construction

For just the right balance of privacy and natural light, textured glass options provide a smart solution.




Triple-Pane Flush-Glazed Glass




Geometric (XG)



Chinchilla (XJ)



Satin Etch (XE)



Rainglass (XR)



Chord (XC)



Granite (XN)



Choose Your Divided Lites

Complete your entry with divided lites. Tailor the look with different texture, profile and color choices to coordinate with window patterns – from Colonial and Craftsman, to Prairie and Modern.

Simulated Divided Lite (SDL) Bar Options



Fiber-Classic & Smooth-Star
(28.6 mm / 1.125 in.)
Look for the (1) icon.


Smooth-Star
(28.6 mm / 1.125 in.)
Look for the (1) icon.

Fiber-Classic & Smooth-Star
(88.9 mm / 3.5 in.)
Look for the (2) icon.

Grilles Between Glass (GBG) Bar Options



Flat (20 mm / 0.787 in.) Contour (18 mm / 0.708 in.)












*Available in Special Quote Program.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, riders and ENERGY STAR qualified products.

EnLiten™ Flush-Glazed Privacy & Textured Glass

Fiber-Classic® Oak

Key

-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF1)
-  Simulated Divided Lites (SDLF2)
-  Flat White Grilles Between Glass Only (GBGFW)
-  Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
-  Removable Wood Grilles (RG)
-  Vented Sidelite (No Impact)
(6'6" & 6'8" only in 12" & 14")
(8'0" only in 14")
-  6'6" Height Available

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

XG = Geometric Glass
Available for select styles.

XE = Satin Etch Glass


XC = Chord Glass

XJ = Chinchilla Glass

XR = Rainglass

XN = Granite Glass










Optional Dentil Shelf*






















4-Block Dentil Shelf
Available for all Craftsman-style Smooth-Star doors.











*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Smooth-Star®

								
FC1205__ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC1207__ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2010__ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2050__ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2050_SL__ 12" x 6'8" 14" x 6'8"	FC5700__ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85700__ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5710__ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85710__ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

									
FC5720__ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85720__ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC691__ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8691__ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC685L__ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8685L__ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC685R__ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8685R__ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5700_SL__ 12" x 6'8" 14" x 6'8"	FC5710_SL__ 12" x 6'8" 14" x 6'8"


								
FC5720_SL__ 12" x 6'8" 14" x 6'8"	2000__ 2'0" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	8000__ 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2000_SL__ 12" x 6'8" 14" x 6'8"	S1205__ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S1207__ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S2010__ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S82103__ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S82105__ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

									
S82106__ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S82107__ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2010_SL__ 10" x 6'8" Δ 12" x 6'8" Δ 14" x 6'8" Δ	S84886_SL__ 12" x 8'0" Δ 14" x 8'0" Δ	S4812__** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84812__** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4813__** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84813__** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4814__** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84814__** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**Not available with Geometric (XG) glass.



S4816_** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84816_** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2000_SL-2C 10" x 6'8" Δ 12" x 6'8" Δ 14" x 6'8" Δ	S2000_SL-4C 10" x 6'8" Δ 12" x 6'8" Δ 14" x 6'8" Δ	S4812_SL** 12" x 6'8" 14" x 6'8"	S84812_SL** 12" x 8'0" 14" x 8'0"	S5700_ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S85700_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5710_ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S85710_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5720_ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S85720_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S691_ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S8691_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	--	--	---	--	--	---	--	---	--	---	---	--




S5705_ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S85705_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5715_ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S85715_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5725_ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S85725_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S685L_ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S8685L_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S685R_ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S8685R_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S85730_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5700_SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	S85700_SL 12" x 8'0" 14" x 8'0"
--	---	--	---	--	---	--	---	--	---	---	---	--



S5710_SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	S85710_SL 12" x 8'0" 14" x 8'0"	S5720_SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	S85720_SL 12" x 8'0" 14" x 8'0"	S2000_ 2'0" x 6'8" Δ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S8000_ 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S82200_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4810_** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84810_** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2000_SL 10" x 6'8" Δ 12" x 6'8" Δ 14" x 6'8" Δ	S8000_SL 12" x 8'0" 14" x 8'0"	S4810_SL** 12" x 6'8" 14" x 6'8"	S84810_SL** 12" x 8'0" 14" x 8'0"	S2600 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S82600 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	---	--	---	---	---	---	--	---	---	---	--	---	--

EnLiten™ Flush-Glazed Clear Glass

Fiber-Classic. Oak



FC1205 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC1206 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC1207 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2010 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC1204 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2050 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	8000-12 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	8000-18 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC1350 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2150 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC1205SL 12" x 6'8" 14" x 6'8"	FC1206SL 12" x 6'8" 14" x 6'8"
--	--	--	--	--	--	---	--	--	--	---	---

EnLiten™ Flush-Glazed Clear Glass *Continued*

Fiber-Classic® Oak *Continued*

FC1204SL ★ 12" x 6'8" 14" x 6'8"	2050SL ★ 12" x 6'8" 14" x 6'8"	2009 ★ 2'0" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	8000-9 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC1409 ★ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2009SL ★ 12" x 6'8" 14" x 6'8"	FC5700 ★ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85700 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5710 ★ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 8'0"	FC85710 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5720 ★ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 8'0"	FC85720 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC691 ★ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8691 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	---	---	--	---	--	---	--	---	--	--	---

Smooth-Star.


FC685L ★ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8685L ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC685R ★ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC082000-6C ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5700SL ★ 12" x 6'8" 14" x 6'8"	FC5710SL ★ 12" x 6'8" 14" x 6'8"	FC5720SL ★ 12" x 6'8" 14" x 6'8"	2000 ★ 2'0" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	8000 ★ 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2100 ★ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2000SL ★ 12" x 6'8" 14" x 6'8"	S1205 ★ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S1206 ★ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ
---	--	---	--	--	--	--	--	--	---	--	--	--

S1207 ★ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S2010 ★ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S1204 ★ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S2050 ★ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S8000-12 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8000-18 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2103 ★ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82103 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2104 ★ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82104 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2105 ★ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82105 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--	--	--	---	---	--	---	--	---	--	---


S2250 ★ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82250 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S82106 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"	S82107 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"	S1350 ★ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	S2150 ★ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	S1205SL ★ 10" x 6'8" Δ 12" x 6'8" Δ 14" x 6'8" Δ	S1206SL ★ 10" x 6'8" Δ 12" x 6'8" Δ 14" x 6'8" Δ	S1204SL ★ 10" x 6'8" Δ 12" x 6'8" Δ 14" x 6'8" Δ	S2010SL ★ 10" x 6'8" Δ 12" x 6'8" Δ 14" x 6'8" Δ	S84886SL ★ 12" x 8'0" 14" x 8'0"	S2103SL ★ 12" x 6'8" 14" x 6'8"	S2104SL ★ 12" x 6'8" 14" x 6'8"	S92SL ★ 12" x 6'8" 14" x 6'8"
--	---	--	--	--	--	---	---	---	---	--	---	---	---



S4812 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84812 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4813 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84813 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4814 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84814 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4816 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84816 ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2000SL-2C ★ 10" x 6'8" ▲ 12" x 6'8" ▲ 14" x 6'8" ▲	S2000SL-4C ★ 10" x 6'8" ▲ 12" x 6'8" ▲ 14" x 6'8" ▲	S4812SL ★ 12" x 6'8" 14" x 6'8"	S84812SL ★ 12" x 8'0" 14" x 8'0"	S2009 ★ 2'0" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S8000-9 ★ 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	---	--	---	--	---	--	--	--	---	--	---	---



S1401 ★ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S81401 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1409 ★ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	S2009SL ★ 10" x 6'8" ▲ 12" x 6'8" ▲ 14" x 6'8" ▲	S1401SL ★ 12" x 6'8" 14" x 6'8"	S5705 ★ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85705 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5700 ★ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85700 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5715 ★ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85715 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5710 ★ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85710 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---	--	---	---	--	---	--	---	--	---	--	---



S5725 ★ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85725 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5720 ★ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85720 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S691 ★ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S8691 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S685L ★ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S8685L ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S685R ★ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S8685R ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5730 ★ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S85730 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5700SL ★ 10" x 6'8" 12" x 6'8" 14" x 6'8"	S85700SL ★ 12" x 8'0" 14" x 8'0"
--	---	--	---	---	--	--	---	--	---	--	---	---	--



S5710SL ★ 10" x 6'8" 12" x 6'8" 14" x 6'8"	S85710SL ★ 12" x 8'0" 14" x 8'0"	S5720SL ★ 10" x 6'8" 12" x 6'8" 14" x 6'8"	S85720SL ★ 12" x 8'0" 14" x 8'0"	S2000 ★ 2'0" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S8000 ★ 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2200 ★ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82200 ★ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2100 ★ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	S4810* ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84810* ★ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2000SL ★ 10" x 6'8" ▲ 12" x 6'8" ▲ 14" x 6'8" ▲	S8000SL ★ 12" x 8'0" 14" x 8'0"	S90SL ★ 12" x 6'8" 14" x 6'8"	S4810SL ★ 12" x 6'8" 14" x 6'8"	S84810SL ★ 12" x 8'0" 14" x 8'0"
---	--	---	--	---	---	--	---	--	--	---	---	---	---	---	--

Every home. Every entrance.

Colonial



Victorian



European



Craftsman



Front Entry




S2250



FC755 / 2000XJSL




S2105 / S92SL



S4816 / S4812SL


Patio



S2050



2000



2000



S2600

Utility




S2150



2100



2150



S4810

Therma-Tru® EnLiten™ flush-glazed doors provide sleek style with maximum views. Whether Classic or Contemporary, Craftsman or European, our doors make a style statement you'll love coming home to.

Southwest



Coastal



Traditional



Modern




S205 / S2000SL



S2000 / S2000SL




S4810 / S2000SL



S5720

Front Entry




S2200



S1204 / S1204SL




2050



2050

Patio



S2100



S2250



2150



S2000XE

Utility

THERMA-TRU® DOORS | Where Home Begins™

thermatru.com
1-800-THERMA-TRU (843-7628)
1750 Indian Wood Circle
Maumee, OH 43537



EnLiten™ flush-glazed designs are backed by the industry's most comprehensive lifetime limited warranty, plus warranty riders for peace of mind – all from the entry door brand building professionals choose most.*

EnLiten™ Flush-Glazed Riders

For Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

For Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

*Brand Use Study, 2018 *Builder* magazine.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, riders and ENERGY STAR qualified products.

Cover: Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – FC1205

©2020 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. Part #MAFFGB20 MTZT / DEC 2019