

Manifest your outer home.

For more than 70 years, homeowners have turned to Larson to protect and enjoy their homes with our high-quality, high-performance home solutions.

As America's trusted storm door brand, we are committed to inspiring better living at every threshold. A Larson storm door is so much more than a door — it's a simple addition that elevates your entryway into a place of comfort, safety and style. Whether you're sitting on your porch or walking through your foyer, you can let the best of nature in while keeping the worst of it out.









Table of Contents

2	INTRODUCTION
_	

- 8 PLATINUM COLLECTION
- 20 STORM DOORS
- 42 FRENCH DOOR KITS
- 46 **SECURITY STORM DOORS**
- 56 **RETRACTABLE SCREEN PRODUCTS**
- 88 **RETAIL HARDWARE**
- 92 PARTS & ACCESSORIES
- 96 SALES POLICY
- 97 SPECIAL PROJECTS & RESOURCES
- 98 INDEX







The best view money can buy.

The new 150 Maximum View gives you the best view you can get from a storm door. Our largest window opening features a solid panel of tempered glass for an unobstructed view and maximum natural light.




Listen for the click as SureLatch™ magnetic technology helps your door close with a smooth, confident latch for years to come.



Maximum view doors deliver 5% more view than similar models.

New Storm Door Options¹



NEAT+TM LOW-E GLASS

Designed for less cleaning, Neat+ coating fills the tiny pores in glass to create an exceptionally smooth surface that quickly and evenly disperses water to wash away debris and help prevent watermarks.

BETTERVUE, SCREEN

Wicks away water and grime for a clear view.

New QuickFit_™ Handleset Finish



New Frame Color



¹Currently only available on 150 Maximum View.


²Available Q3 2025

Note: Product finish colors are approximate; actual finish colors may vary. See your Larson seller or visit larsondoors.com for details on limited warranties and exclusions.

Find Your New Storm Door


Create the entry that matches your lifestyle from our wide selection of storm doors. Whether you want extra protection for your home, more fresh air and natural light, or freedom for your pet, we have the right door for you.

VENT OPTIONS



Retractable

Built-in screen offers fresh air or clear views at your fingertips.



Interchangeable


Included screen opens your home to the best of each season.



Standard Venting

Built-in screen stays in the window for convenient ventilation.

PET OPTIONS



Pet Door

Pre-installed pet door lets your pet come and go as they please.

VIEW OPTIONS



Maximum View

Our largest window opening for maximum natural light.



Fullview

The full door is a window with only a frame surrounding it.



Midview

Most of the door is a window with a small panel at the bottom.



Highview

The door is half window, half panel for extra privacy.

CLOSER OPTIONS

Reliable open and close with premium hold-open options.

EXCLUSIVE INNOVATIONS

SureLatch™ magnetic technology helps securely latch your door every time.

Maximum view doors deliver 5% more view than similar models.



interior view:

Step-to-Hold Closer



Interior View:

SureLatch Magnetic Technology

	Platinum Collection	146 Easy Vent Selection	NEW 150 Maximum View	Full Glass & Screen	Retractable Screen	Standard Venting
VENT OPTIONS						
Premium Interchangeable	•					
Premium Retractable	•	•	•			
Interchangeable				•		
Retractable					•	
Standard Venting				•		•
VIEW OPTIONS						
Maximum View			•			
Fullview	•	•		•	•	
Midview		•			•	•
Highview		•			•	
CLOSER OPTIONS						
Hidden Push-to-Hold	•					
SureLatch Step-to-Hold			•			
Step-to-Hold		•			•	
PREMIUM FEATURES	5					
Premium features included on select models.	10-Minute Install ¹ Premium Aluminum Frame 3X Weatherstrip Multi-Point Locking System	Heavy-Duty Aluminum Frame 2X Weatherstrip	Heavy-Duty Aluminum Frame 2X Weatherstrip			
ADDITIONAL OPTIO	NS					
Check for unique upgrade options on select models.	Security Glass Security Screen Low-E Glass	Low-E Glass Bevel Glass	Neat+ Glass Low-E Glass Bevel Glass			
PET OPTIONS						
Pre-Installed Pet Door		•				•





Platinum Collection

Experience a truly premium entryway with the advanced features and sleek, modern design of the Platinum Collection.

EXCLUSIVE PLATINUM COLLECTION FEATURES



10-minute install¹ with no experience or special tools required.



Hidden push-to-hold closer holds the door in place with an extra push.




Premium aluminum frame and 3X the weatherstrip seal for ultimate weather protection.



Multi-point locking system secures the door at three critical points.





456 Platinum Retractable Screen

OUR PREMIUM RETRACTABLE MODEL

Invite fresh air into your home with the touch of a finger and enhance your home's style with the feature-rich and elegant design of the Platinum Collection.

TOP BENEFITS



Fresh air on demand. Fresh air or clear views at your fingertips with just a pull on the retractable screen.



10-minute install.1 Out of the box and on your home in 6 DIY-friendly steps - no experience or special tools required.



Concealed performance. Hold the door in place with just an extra push with the hidden push-to-hold closer.



Robust defense. Shield your entry against harsh weather with a heavy-duty aluminum frame surrounded by 3X the weatherstrip seal for the ultimate weather seal.

ADDITIONAL FEATURES

- Multi-Point Locking System
- Pre-Installed Hinges
- Pre-Drilled Handleset Holes
 Pre-Attached Screw Covers

¹Preparation time not included. Based on typical installation. Actual times may vary.


²Custom doors have extended, variable lead times. Once placed, custom orders cannot be canceled.

³Order in increments of three (same finish) for reduced pricing.

Note: Larson reserves the right to alter or discontinue any model, specification, warranty or price without notice. Product finish colors are approximate; actual finish colors may vary. See your Larson seller or visit larsondoors.com for details on limited warranties and exclusions.

MODEL	SIZE	WHITE LINEN	PEBBLESTONE	WOODLAND	GRAPHITE	BLACK
456FVE Low-E	32" x 81" 36" x 81"	\$757.05				
456FV Clear	32" x 81" 36" x 81"	\$708.75				
Regular Custom ²						
456FVE Low-E	W: 30" - 40"	\$1,067.85				
456FV Clear	H: 75" – 86"	\$1,010.10				
Oversize Custom ²						
456FVE Low-E	\$1,190.70					
456FV Clear	H: 86 1/8" – 97"	\$1,143.45				
Retractable Screen		(R) hinge as seen from outside.				

FRAME COLORS



QUICKFIT™ HANDLESETS


Sold separately and required to operate the built-in deadbolt on Platinum Collection, 146 Easy Vent. Selection and 150 Maximum View models. QuickFit handlesets cannot be modified for use with older models.



QuickFit Handleset				
Single Ea.	3-Pack ³			
\$63.00	\$153.30			

Straight 20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black

Curved 20297817 Brushed Nickel 20297857 Aged Bronze 20297807 Brass 20297820 Antique Brass 20297853 Matte Black



459 Platinum Interchangeable **Full Glass**

OUR PREMIUM FULL GLASS MODEL

Welcome each season and enhance your home's style with the feature-rich and elegant design of the Platinum Collection.

TOP BENEFITS



Enjoy the best of each season. Let in fresh air when it's warm and natural light when it's cold by easily swapping the included screen and tempered glass panels.



10-minute install.1 Out of the box and on your home in 6 DIY-friendly steps - no experience or special tools required.



Concealed performance. Hold the door in place with just an extra push with the hidden push-to-hold closer.



Robust defense. Shield your entry against harsh weather with a heavy-duty aluminum frame surrounded by 3X the weatherstrip seal for the ultimate weather seal.

ADDITIONAL FEATURES

- Multi-Point Locking System
- Pre-Installed Hinges
- Pre-Drilled Handleset Holes
 Pre-Attached Screw Covers

¹Preparation time not included. Based on typical installation. Actual times may vary.


²Custom doors have extended, variable lead times. Once placed, custom orders cannot be canceled.

³Order in increments of three (same finish) for reduced pricing.

Note: Larson reserves the right to alter or discontinue any model, specification, warranty or price without notice. Product finish colors are approximate; actual finish colors may vary. See your Larson seller or visit larsondoors.com for details on limited warranties and exclusions.

MODEL	SIZE	WHITE LINEN	PEBBLESTONE	WOODLAND	GRAPHITE	BLACK	
459FVE Low-E	32" x 81" 36" x 81"	\$716.10					
459FV Clear	32" x 81" 36" x 81"		,	\$648.90			
Regular Custom ²							
459FVE Low-E	W: 24" - 36"	\$939.75					
459FV Clear	H: 75" – 85"	\$845.25					
Oversize Custom ²							
459FVE Low-E	W: 36-1/8" - 42"		\$	61,010.10			
459FV Clear	H: 75" – 85"	\$916.65					
Oversize Plus Custom ²							
459FVE Low-E W: up to 42" \$1,080.4							
459FV Clear	H: 85-1/8" – 97"	\$987.00					
Interchangeable Screen & Glass When ordering, select left (L) or right (R) hinge as seen from outside.							

FRAME COLORS



QUICKFIT™ HANDLESETS


Sold separately and required to operate the built-in deadbolt on Platinum Collection, 146 Easy Vent. Selection and 150 Maximum View models. QuickFit handlesets cannot be modified for use with older models.



QuickFit Handleset					
Single Ea.	3-Pack ³				
\$63.00	\$153.30				

Straight 20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black

Curved 20297817 Brushed Nickel 20297857 Aged Bronze 20297807 Brass 20297820 Antique Brass 20297853 Matte Black



449 Platinum Secure Glass

OUR PREMIUM SECURITY STORM DOOR

Give your entry an exceptional layer of security while maximizing your home's natural light and style with the feature-rich and elegant design of the Platinum Collection.

TOP BENEFITS

T Er

Enhanced security, great view. Safeguard your home with a clear inner shield that can help prevent break-ins without obstructing your view.



10-minute install. Out of the box and on your home in 6 DIY-friendly steps – no experience or special tools required.



Concealed performance. Hold the door in place with just an extra push with the hidden push-to-hold closer.



Robust defense. Shield your entry against harsh weather with a heavy-duty aluminum frame surrounded by 3X the weatherstrip seal for the ultimate weather seal.

ADDITIONAL FEATURES

- Multi-Point Locking System
- Pre-Installed Hinges
- Pre-Drilled Handleset Holes
- Pre-Attached Screw Covers

¹Preparation time not included. Based on typical installation. Actual times may vary.


²Custom doors have extended, variable lead times. Once placed, custom orders cannot be canceled.

³Order in increments of three (same finish) for reduced pricing.

Note: Larson reserves the right to alter or discontinue any model, specification, warranty or price without notice. Product finish colors are approximate; actual finish colors may vary. See your Larson seller or visit larsondoors.com for details on limited warranties and exclusions.

MODEL	SIZE	WHITE LINEN	PEBBLESTONE	WOODLAND	GRAPHITE	BLACK	
449-04 Clear	32" x 81" 36" x 81"	\$741.30					
Regular Custom ²							
449-04 Clear	W: 24" – 36" H: 75" – 85"	\$1,033.20					
Oversize Custom ²							
449-04 Clear	W: 36-1/8" - 42" H: 75" - 85"		\$	61,173.90			
Oversize Plus Custom ²							
449-04 Clear W : 24" – 42" H : 85-1/8" – 97" \$1,305.15							
Security Glass When ordering, select left (L) or right (R) hinge as seen from outside.							

FRAME COLORS



QUICKFITTM HANDLESETS

Sold separately and required to operate the built-in deadbolt on Platinum Collection, 146 Easy Vent. Selection and 150 Maximum View models. QuickFit handlesets cannot be modified for use with older models.




QuickFit I	Handleset
Single Fa	3-Pack ³

Single Ea. \$63.00 \$153.30

Straight 20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black

Curved 20297817 Brushed Nickel 20297857 Aged Bronze 20297807 Brass 20297820 Antique Brass 20297853 Matte Black



450 Platinum Secure Screen

OUR PREMIUM SCREEN DOOR

Give your entry an exceptional layer of security without sacrificing ventilation or your home's style with the feature-rich and elegant design of the Platinum Collection.

TOP BENEFITS



Security, refreshed. Enhance your home's security and ventilation with stainless steel mesh that can help prevent break-ins.



10-minute install. Out of the box and on your home in 6 DIY-friendly steps – no experience or special tools required.



Concealed performance. Hold the door in place with just an extra push with the hidden push-to-hold closer.



Robust defense. Defend your entry with a heavy-duty aluminum frame engineered for long-lasting protection.

ADDITIONAL FEATURES

- Multi-Point Locking System
- Pre-Installed Hinges
- Pre-Drilled Handleset Holes
- Pre-Attached Screw Covers

¹Preparation time not included. Based on typical installation. Actual times may vary.

²Custom doors have extended, variable lead times. Once placed, custom orders cannot be canceled.

³Order in increments of three (same finish) for reduced pricing.

Note: Larson reserves the right to alter or discontinue any model, specification, warranty or price without notice. Product finish colors are approximate; actual finish colors may vary. See your Larson seller or visit larsondoors.com for details on limited warranties and exclusions.

MODEL	SIZE	WHITE LINEN	PEBBLESTONE	WOODLAND	GRAPHITE	BLACK
450-18	32" x 81" 36" x 81"	\$995.40				
Regular Custom ²						
450-18 W: 24" - 36" H: 75" - 85" \$1,197.00						
Oversize Custom ²						
450-18	W: 36-1/8" - 42" H: 75" - 85"		\$	\$1,317.75		
Oversize Plus Custom ²						
450-18 W: 24" - 42" H: 85-1/8" - 97" \$1,376.55						
TITUL Security TITUL						

FRAME COLORS



QUICKFITTM HANDLESETS

Sold separately and required to operate the built-in deadbolt on Platinum Collection, 146 Easy Vent. Selection and 150 Maximum View models. QuickFit handlesets cannot be modified for use with older models.



QuickFit Handleset					
Single Ea.	3-Pack ³ \$153.30				

Straight 20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black

Curved 20297817 Brushed Nickel 20297857 Aged Bronze 20297807 Brass 20297820 Antique Brass 20297853 Matte Black

Measuring Guide:

PLATINUM STORM & SECURITY DOORS


The Platinum Collection features our easiest storm door installation system. Use the diagram on the right to record your measurements as shown. If the width measurements vary, record the smallest measurement.

SURFACE MOUNT

The rails mount directly to the face of the exterior door trim and require 3/4" of clearance on each side and up to 1" of clearance above the opening.





Construction styles may vary.



PRE-HINGED FOR EFFORTLESS INSTALLATION

Select **L** (left-hinge) or **R** (right-hinge) as viewed from outside when ordering.





RECORD MEASUREMENTS

Α	Width	С	Width
В	Width	D	Height

SPECIFY WHEN ORDERING:

- A. Model Number
- B. Color
- **C.** Required Opening Size (Width x Height)
- **D.** Platinum Hinge Side (LH or RH)

DOOR OPENING	MIN. WIDTH	MAX. WIDTH	MIN. HEIGHT	MAX. HEIGHT
32" x 81"	31-7/8"	32-3/8"	80"	81"
36" x 81"	35-7/8"	36-3/8"	80	01





Fullview with Low-E/Clear 146FVE | 146FV

146 Easy Vent_® Selection

TOP BENEFITS



Fresh air on demand. Fresh air or clear views at your fingertips with just a pull on the retractable screen.



Hands-free convenience. Reliable closure and hands-free movement through the entry with a tap on the step-to-hold closer.



Enduring protection. The heavy-duty aluminum frame surrounded by 2X the weatherstrip seal shields your entry against the elements.

ADDITIONAL FEATURES

- Two-Closer System
- Overlapping Frame Edge
- Balanced Window System
- 146PV 8" x 12" Pet Door

FRAME COLORS

White Almond Sandstone Brown Graphite

AVAILABLE MODELS







Midview 146MV



Highview 146HV

Black

¹Custom doors have extended, variable lead times. Once placed, custom orders cannot be canceled.

²Order in increments of three (same finish) for reduced pricing.

Note: Larson reserves the right to alter or discontinue any model, specification, warranty or price without notice. Product finish colors are approximate; actual finish colors may vary. See your Larson seller or visit larsondoors.com for details on limited warranties and exclusions. Pet flap not intended for child use or to keep children or pets inside.

MODEL	SIZE	WHITE	ALMOND	SANDSTONE	BROWN	GRAPHITE	BLACK
146FVE Low-E	32" x 81" 36" x 81"	\$532.35			\$556.50		
1401 VE LOW-L	34" x 81"	\$532.35					
	32" x 81" 36" x 81"		\$487.20				
146FV Clear	30" x 81"	\$509.25					
	34" x 81"	\$487.20		\$487.	.20		\$509.25
146PV Pet Door	32" x 81" 36" x 81"	\$634.20				\$657.30	
146BV Bevel	36" x 81"	\$556.50				\$591.15	
146MV Midview	32" x 81" 36" x 81"	\$509.25				\$532.35	
140WV Wildview	34" x 81"	\$509.25					\$532.35
146HV Highview	32" x 81" 36" x 81"		\$5	39.70			
Regular Custom ¹							
146FVE Low-E	W: 30" - 40"		\$8	56.80		\$916	6.65
146FV Clear	H: 70" – 86"		\$8	10.60		\$856	6.80
Oversize Custom ¹							
146FVE Low-E	W: 32" - 40"	\$997.50			\$1,04	4.75	
146FV Clear	H: 86-1/8 – 97"	\$939.75			\$987	7.00	
Retractable Screen							

QUICKFIT™ HANDLESETS

Sold separately and required to operate the built-in deadbolt on Platinum Collection, 146 Easy Vent_® Selection and 150 Maximum View models. QuickFit handlesets cannot be modified for use with older models.



QuickFit Handleset				
Single Ea. \$63.00	3-Pack² \$153.30			
Straight				

20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black

Curved 20297817 Brushed Nickel 20297857 Aged Bronze 20297807 Brass 20297820 Antique Brass 20297853 Matte Black



Maximum View with Low-E/Clear 150FXE | 150FX

NEW 150 Maximum View

TOP BENEFITS



An unmatched view. Enjoy maximum natural light through our largest window opening. Easily swap in the included screen for seasonal fresh air.



Confident closure. Listen for the click as SureLatch magnetic technology helps your door close with a smooth, confident latch for years to come.



Enduring protection. The heavy-duty aluminum frame surrounded by 2X the weatherstrip seal shields your entry against the elements.

UPGRADE OPTIONS

- Neat+_™ Low-E Glass Designed to help keep glass clear and free of watermarks, reducing the need for cleaning.
- BetterVue. Screen Wicks away water and grime for a clear view.


ADDITIONAL FEATURES

- SureLatch Step-to-Hold Closer
- Minimalist, Modern Design
- Overlapping Frame Edge

FRAME COLORS

White Almond Sandstone Brown NEW Bordeaux¹ Graphite

AVAILABLE MODELS



Bevel Glass 150BX

Black

¹Available Q3 2025

²Order in increments of three (same finish) for reduced pricing.

MODEL	SIZE	WHITE	ALMOND	SANDSTONE	BROWN	BORDEAUX1	GRAPHITE	BLACK
150FXE Low-E	32" x 81" 36" x 81"	\$461.00			\$493.00			
	32" x 81" 36" x 81"	\$394.00			\$421.00			
150FX Clear	30" x 81"	\$418.00			\$418.00			\$447.00
	34" x 81"	\$394.00						
150BX Bevel	36" x 81"	\$437.00				\$467	.00	







Interchangeable Glass & Screen



Easy Left- or Right-Hinge Installation



French Door Kit Available Refer to charts on pages 42-45.



List price of custom doors can be found on page 24.

QUICKFIT™ HANDLESETS

Sold separately and required to operate the built-in deadbolt on Platinum Collection, 146 Easy Vent. Selection and 150 Maximum View models. QuickFit handlesets cannot be modified for use with older models.



QuickFit Handleset

Single Ea. 3-Pack² \$63.00 \$153.30

Straight

20298917 Brushed Nickel 20298957 Aged Bronze 20298953 Matte Black

Curved

20297817 Brushed Nickel 20297857 Aged Bronze 20297807 Brass 20297820 Antique Brass 20297853 Matte Black



150 Maximum View continued

LIST PRICE

MODEL	SIZE	WHITE	ALMOND	SANDSTONE	BROWN	BORDEAUX	GRAPHITE	BLACK
Regular Custom ¹			`					
150FXE Low-E			\$8	00.00			\$856	6.00
150FX Clear			\$7	14.00			\$764	1.00
150FXN Low-E Neat+			\$8	20.00			\$877	7.00
150FXEB Low-E with BetterVue Screen	W: 24" – 36" H: 70" – 85"		\$8	05.00			\$86	1.00
150FXB Clear with BetterVue Screen			\$7	19.00			\$769	9.00
150FXNB Low-E Neat+ with BetterVue Screen			\$8	25.00			\$882.00	
Oversize Custom ¹								
150FXE Low-E		\$960.00				\$1,02	7.00	
150FX Clear		\$873.00				\$93!	5.00	
150FXN Low-E Neat+		\$985.00				\$1,054.00		
150FXEB Low-E with BetterVue Screen	W: 36-1/8" – 42" H: 70" – 85"	\$970.00			\$1,03	8.00		
150FXB Clear with BetterVue Screen		\$883.00				\$945.00		
150FXNB Low-E Neat+ with BetterVue Screen			\$9	95.00			\$1,065.00	
Oversize Plus Custom ¹								
150FXE Low-E			\$9	84.00			\$1,05	3.00
150FX Clear			\$8	98.00			\$960	0.00
150FXN Low-E Neat+			\$1,	014.00			\$1,08	5.00
150FXEB Low-E with BetterVue Screen	W: 24" – 42" H: 85-1/8" – 97"	\$999.00			\$1,06	9.00		
150FXB Clear with BetterVue Screen		\$913.00 \$1,029.00				\$976	6.00	
150FXNB Low-E Neat+ with BetterVue Screen					\$1,029.00		\$1,10	1.00



350 Classic-View Fullview

TOP BENEFITS



Enjoy the best of each season. Let in fresh air when it's warm and natural light when it's cold by easily swapping the included screen and tempered glass panels.



Low-maintenance durability. The durable aluminum frame and heavy-duty weatherstrip provide complete entry protection.

ADDITIONAL FEATURES

- Standard Closer
- Handleset with Deadbolt Lock



FRAME COLORS

White			

Almond





Black

LIST PRICE

MODEL	SIZE	WHITE	ALMOND	SANDSTONE	BROWN	BLACK
350-17 Brushed Nickel 350-04 Brass	32" x 81" 36" x 81"		\$3	324.45		\$347.55



Interchangeable Glass & Screen




Easy Left- or Right-Hinge Installation



French Door Kit Available Refer to charts on pages 42-45.





360-48 WearTuff, Full Screen

TOP BENEFITS



Worry-free air. Durable ventilation through a WearTuff screen that is reinforced in frame to resist tearing.



Low-maintenance durability. The durable aluminum frame and heavy-duty weatherstrip provide complete entry protection.

ADDITIONAL FEATURES

- Standard Closer
- Mounting Rail Weatherstrip
- Color-Matched Handleset with Inside Lock





Exterior View:WearTuff Mesh Screen

FRAME COLORS

White



Brown

UPGRADE SCREEN OPTIONS

PetScreen_®

Tear- and puncture-resistant screen built with your pet in mind.

No-See-Um

Tight mesh guards against small insects.

SunTex_® 80

Provides approximately 75% UV blockage for shade and privacy.



PetScreen



No-See-Um



SunTex 80 | Stucco



SunTex 80 | Gray



SunTex 80 | Black

WEARTUFF

UPGRADE SCREEN OPTIONS

PetScreen | No-See-Um

			SunTex 80 – Stu	cco, Gray, Black				
SIZE	WHITE	BROWN	WHITE	BROWN				
32" x 81" 36" x 81"	\$231.00		\$301.35					
Regular Custom ¹								
W: 24" – 36" H: 75" – 85"	\$364.35		\$441.00					
W: 36-1/8" - 42" H: 70" - 85"	\$430	0.50						
om¹								
W: 24" - 42" H: 85-1/8" - 97"	\$48	4.05	1					
WearTuff Screen Easy Left- or Right-Hinge Installation French Door Kit Available Refer to charts on pages 42–45.								
	32" x 81" 36" x 81" W: 24" - 36" H: 75" - 85" W: 36-1/8" - 42" H: 70" - 85" W: 24" - 42" H: 85-1/8" - 97"	32" x 81" 36" x 81" W: 24" – 36" H: 75" – 85" \$364 W: 36-1/8" – 42" H: 70" – 85" \$436 W: 24" – 42" H: 85-1/8" – 97" \$486 French	32" x 81" 36" x 81" W: 24" – 36" H: 75" – 85" \$364.35 W: 36-1/8" – 42" H: 70" – 85" \$430.50 wn¹ W: 24" – 42" H: 85-1/8" – 97" \$484.05	SIZE WHITE BROWN WHITE 32" × 81" \$231.00 \$30				





356 Lifestyle Fullview Screen Away.

TOP BENEFITS



Fresh air on demand. Fresh air or clear views at your fingertips with just a pull on the retractable screen.



Low-maintenance durability. The durable aluminum frame and heavy-duty weatherstrip provide complete entry protection.

ADDITIONAL FEATURES

- Standard Closer
- Handleset with Keyed Lock




FRAME COLORS

White

LIST PRICE

MODEL	SIZE	WHITE
356-52 Brushed Nickel 356-60 Brass	32" x 81" 34" x 81" 36" x 81"	\$394.80





830 Lifestyle Midview Screen Away.

TOP BENEFITS



Fresh air on demand. Fresh air or clear views at your fingertips with just a pull on the retractable screen.



Seal out the elements. The low-maintenance composite surface and heavy-duty weatherstrip deliver weather-resistant protection.

ADDITIONAL FEATURES

- Standard Closer
- Magnetic Weatherstrip
- Solid Wood Core
- Handleset with Inside Lock



FRAME COLORS

White	
Almond	
Sandstone	
Brown	

LIST PRICE

MODEL	SIZE	WHITE	ALMOND	SANDSTONE	BROWN			
830-82 Brushed Nickel 830-85 Aged Bronze 830-80 Brass	32" x 81" 34" x 81" 36" x 81"	\$389.55						
Regular Custom ¹								
830-82, 830-85, 830-80	W: 30" – 36" H: 67-1/2" – 85"	\$540.75						
Oversize Plus Custom ¹ S	pecify hinge side	e as viewe	d from outs	side.				
830-82, 830-85, 830-80	830-82, 830-85, 830-80				\$668.85			
Retractable Easy Left- or Right-Hinge Screen Installation								
French Door Kit Available Refer to charts on pages 42–45. 10 YEAR LIMITED WARRANTY								

CUSTOM DOORS

- Glass insert size remains standard; frame size adjusts for custom order.
- Maximum size: 42" x 90" uses same size glass insert as standard 36" x 81".
- Minimum size: 30" x 67-1/2" uses same size glass insert as 32" x 81" door.
- Moldings are NOT available on models with opening heights under 77-1/2".



370-84 Lifestyle 2.0 Midview Screen Away.

TOP BENEFITS



Fresh air on demand. Fresh air or clear views at your fingertips with just a pull on the retractable screen.




Hands-free convenience. Reliable closure and hands-free movement through the entry with a tap on the step-to-hold closer.



Seal out the elements. The low-maintenance composite surface and heavy-duty weatherstrip deliver weather-resistant protection.

ADDITIONAL FEATURES

- Minimalist, Modern Design
- Solid Wood Core
- Handleset with Keyed Lock



FRAME COLORS

White		



Brown

Almond

LIST PRICE

MODEL	SIZE	WHITE	ALMOND	BROWN
370-84 Brushed Nickel	32" x 81" 36" x 81"	\$352.80	\$369.60	
	30" x 81" 34" x 81"	\$396.90		



Retractable Screen



Easy Left- or Right-Hinge Installation





French Door Kit Available
Refer to charts on pages 42–45.



691 Lifestyle Highview Screen Away.

TOP BENEFITS



Fresh air on demand. Fresh air or clear views at your fingertips with just a pull on the retractable screen.



Reliable from open to close. Controlled door swing and close assist with two standard closers.



Seal out the elements. The low-maintenance composite surface and heavy-duty weatherstrip deliver weather-resistant protection.

ADDITIONAL FEATURES

- Magnetic Weatherstrip
- Solid Wood Core
- Handleset with Keyed Lock



FRAME COLORS

ΛI	h	12.	Δ



Sandstone



LIST PRICE

MODEL	SIZE	WHITE	SANDSTONE	BROWN
691-52 Brushed Nickel 691-55 Aged Bronze 691-90 Brass	32" x 81" 36" x 81"		\$410.55	

Regular Custom¹ Specify hinge side as viewed from outside if over 85". W: 29" - 36" 691-52, 691-55, 691-90 \$552.30 **H:** 52" - 90"



Retractable Screen



Easy Left- or Right-Hinge Installation






French Door Kit Available Refer to charts on pages 42-45.

CUSTOM DOORS

- Glass insert size remains standard; frame size adjusts for custom order.
- Maximum size: 36" x 90" uses same size glass insert as standard 36" x 81".
- Minimum size: 29" x 52" uses same size glass insert as 32" x 81" door.
- Moldings are NOT available on models with opening heights under 77-1/2".



360-79 Classic-View Pet View

TOP BENEFITS



Pet independence. Let your pet come and go as they please with a pre-installed 10" x 17" pet door for pets up to 100 lbs. Can be secured with included slide-in cover.



Flexible ventilation. Let fresh air flow through the top or bottom window with the tear-resistant WearTuff. Reversa Screen.



Low-maintenance durability. The durable aluminum frame and heavy-duty weatherstrip provide complete entry protection.

ADDITIONAL FEATURES

- Standard Closer
- Pet-Height Bottom Glass
- Color-Matched Handleset with Inside Lock



Includes slide-in panel cover to secure pet flap.

FRAME COLORS

White



Brown

LIST PRICE

MODEL	SIZE	WHITE	BROWN
360-79	32" x 81" 36" x 81"	\$463.05	




WearTuff₀Reversa Screen



Easy Left- or Right-Hinge Installation





360-49 Pet Breeze

TOP BENEFITS



Pet independence. Let your pet come and go as they please with a pre-installed 10" x 17" pet door for pets up to 100 lbs. Can be secured with included slide-in cover.



Pet-proof ventilation. Fresh air that even pets can enjoy through the puncture- and tear-resistant PetScreen..



Low-maintenance durability. The durable aluminum frame and heavy-duty weatherstrip provide complete entry protection.

ADDITIONAL FEATURES

- Standard Closer
- Pet-Height Bottom Screen
- Color-Matched Handleset with Inside Lock



Includes slide-in panel cover to secure pet flap.

FRAME COLORS

White



LIST PRICE

MODEL	SIZE	WHITE	BROWN
360-49	32" x 81" 36" x 81"	\$32	9.70



PetScreen



Easy Left- or Right-Hinge Installation



French Door Kit Available Refer to charts on pages 42-45.



370 Life-Core, Pet Single-Vent

TOP BENEFITS



Pet independence. Let your pet come and go as they please with a pre-installed pet door available in two sizes. Can be secured with included slide-in cover.



Open to fresh air. Welcome in fresh air through the built-in bottom screen.



Seal out the elements. The low-maintenance composite surface and heavy-duty weatherstrip deliver weather-resistant protection.

ADDITIONAL FEATURES

- **370-79** 10" x 17" Pet Door
- Standard Closer
- **370-78** 14" x 23" Pet Door
- Solid Wood Core
- Color-Matched Handleset with Inside Lock



Includes slide-in panel cover to secure pet flap.

FRAME COLORS

White

Almond

AVAILABLE MODELS



Flap Opening: $10" \times 17" \mid \le 100 \text{ lbs.}$ 370-79



Flap Opening: 14" x 23" | ≤ 220 lbs. 370-78


French Door Kit Available Refer to charts on pages 42-45.

MODEL	SIZE	WHITE	ALMOND
370-79 10" x 17" Pet Door	32" x 81"	\$405.30	
370-78 14" x 23" Pet Door	36" x 81"	\$463.05	
Regular Custom ¹			
370-79 10" x 17" Pet Door	W: 28" - 36" H: 71-1/2" - 85"	\$611.10	
370-78 14" x 23" Pet Door	W: 28" – 36" H: 81" – 85"	\$668.85	
Oversize Plus Custom¹ Specify hinge side as viewed from outside.			
370-79 10" x 17" Pet Door	W: 36-1/8" – 42"	\$717.15	
370-78 14" x 23" Pet Door	H: 85-1/8" – 96"	\$787.50	
Standard Fasy Left- or Right-Hinge Installation Standard Venting Installation			<u></u>

CUSTOM DOORS

- Pet door remains the same size on all custom doors.
- Glass insert size remains standard; frame size adjusts for custom order.
- Maximum size: 42" x 96" uses same size glass insert as standard 36" x 81".
- Minimum size: 28" x 71-1/2" uses same size glass insert as 32" x 81" door.

370 Life-Core Pet Single Vent | 35





370-50 Life-Core, Reversa Screen

TOP BENEFITS



Flexible ventilation. Let fresh air flow through the top or bottom window with the tear-resistant WearTuff. Reversa Screen.



A full extension. Built for heavy wear and tear with a hinge and closer system to protect against damage from overextension.



Seal out the elements. The low-maintenance composite surface and heavy-duty weatherstrip deliver weather-resistant protection.

ADDITIONAL FEATURES

- Solid Wood Core
- Color-Matched Handleset with Keyed Lock



FRAME COLORS

White



LIST PRICE

MODEL	SIZE	WHITE	BROWN
370-50	32" x 81" 34" x 81" 36" x 81"	\$271.95	
	30" x 81"	\$28	7.70



WearTuff。
Reversa Screen



Easy Left- or Right-Hinge Installation



French Door Kit Available
Refer to charts on pages 42–45.



360-16 / 660-16 Classic-View Reversa Screen

TOP BENEFITS



Flexible ventilation. Let fresh air flow through the top or bottom window with the Reversa Screen.



Low-maintenance durability. The durable aluminum frame and heavy-duty weatherstrip provide complete entry protection.

ADDITIONAL FEATURES

- Standard Closer
- Steel Kick Panel
- Color-Matched Handleset with Inside Lock



FRAME COLORS

White



LIST PRICE

MODEL	SIZE	WHITE	BROWN	
360-16 (660-16)	32" x 81" 36" x 81"	\$294.00		
	34" x 81"	\$294.00		
	30" x 81"	\$30	8.70	



Reversa Screen



Easy Left- or Right-Hinge Installation



French Door Kit Available Refer to charts on pages 42-45.



278-SS Life-Core, Single-Vent

TOP BENEFITS



Open to fresh air. Welcome in fresh air through the built-in bottom screen.



Seal out the elements. The low-maintenance composite surface and heavy-duty weatherstrip deliver weather-resistant protection.

ADDITIONAL FEATURES

- Standard Closer
- Solid Wood Core
- Color-Matched Handleset with Inside Lock



FRAME COLORS

White		
Almond		
Sandstone		
Brown		

CUSTOM DOORS

- Oversize custom: Any dimension larger than 36" wide or 85" high.
- Maximum size: 42" x 85" uses same size glass insert as standard 36" x 81".
- Minimum size: 28" x 52" uses same size glass insert as standard 32" x 81".
- SPECIAL STANDARD 32" x 85", 36" x 85" and custom doors over 85" high use a taller glass insert. Standard glass frame sizes are used for all custom doors. The door frame adjusts to fit the custom dimensions.

LIST PRICE

MODEL	SIZE	WHITE	ALMOND	SANDSTONE	BROWN			
	32" x 81" 36" x 81"		\$3	312.90				
278-SS	30" x 81" 34" x 81"	\$329.70						
	32" x 85" 36" x 85"	\$349.65						
Regular Custom ¹								
278-SS	W: 28" – 36" H: 52" – 85"	\$434.70						
Oversize Custom ¹								
278-SS	W: 36-1/8" - 42" H: 52" - 85"	\$516.60			\$516.60			
Oversize Plus Custon	n¹ Specify hinge s	ide as viev	ved from o	utside.				
278-SS	W: 32" - 42" H: 85-1/8" - 96"	\$575.40			\$575.40			
Standard Easy Left- or Right-Hinge United WARRANTY Easy Left- or Right-Hinge Installation								
French Door Kit Available Refer to charts on pages 42–45.								

¹Custom doors have extended, variable lead times. Once placed, custom orders cannot be canceled. Note: Larson reserves the right to alter or discontinue any model, specification, warranty or price without notice. Product finish colors are approximate; actual finish colors may vary. See your Larson seller or visit larsondoors.com for details on limited warranties and exclusions.



380-05 Mobile Home Single-Vent

TOP BENEFITS



Open to fresh air. Welcome in fresh air through the built-in bottom screen.



Seal out the elements. The low-maintenance composite surface and heavy-duty weatherstrip deliver weather-resistant protection.

ADDITIONAL FEATURES

- Standard Closer
- Solid Wood Core
- Color-Matched Handleset



FRAME COLORS

White

LIST PRICE

MODEL	SIZE	WHITE
	30" x 75" 32" x 75"	\$315.00
380-05	30" x 74" 30" x 76" 32" x 74" 32" x 76" 32" x 78" 34" x 78" 36" x 74" 36" x 78"	\$343.35



Standard Venting



Easy Left- or Right-Hinge



French Door Kit Available Refer to charts on pages 42-45.





298-SS Life-Core, Composite Surface Single-Vent

TOP BENEFITS



Open to fresh air. Easily open the built-in screen thanks to pinch-free ergonomic finger tabs.



Seal out the elements. The low-maintenance composite surface and heavy-duty weatherstrip deliver weather-resistant protection.

ADDITIONAL FEATURES

- Standard Closer
- Solid Wood Core
- Color-Complementing Handleset¹



FRAME COLORS

White



LIST PRICE

MODEL	SIZE	WHITE	BROWN	
298-SS	32" x 81" 34" x 81" 36" x 81"	\$222.60		
	30" x 81"	\$23	7.30	



Standard Venting



Easy Left- or Right-Hinge Installation





French Door Kit Available Refer to charts on pages 42–45.

Measuring Guide:

STORM DOORS

Use the diagram below to record your measurements as shown. If the width measurements vary, record the smallest measurement. For Platinum Collection installation, please see page 18.

RECESS MOUNT

The rails mount inside the opening and require a 1" wide by 1" deep mounting surface.




Construction styles may vary.



UNIVERSAL HINGING

Allows for left-hinge or right-hinge installation.



RECORD MEASUREMENTS

Α	Width	С	Width
В	Width	D	Height

SPECIFY WHEN ORDERING:

- A. Model Number
- B. Color
- C. Required Opening Size (Width x Height)
- D. Universal Hinge

DOOR OPENING	MIN. WIDTH	MAX. WIDTH	MIN. HEIGHT	MAX. HEIGHT	
30" x 81"	29-7/8"	30-3/8"			
32" x 81"	31-7/8"	32-3/8"	80"	81"	
34" x 81"	33-7/8"	34-3/8"	80	81"	
36" x 81"	35-7/8"	36-3/8"			
32" x 85"	31-7/8"	32-3/8"		85"	
34" x 85"	33-7/8"	34-3/8"	84"		
36" x 85"	35-7/8"	36-3/8"			
32" x 75"	31-7/8"	32-3/8"	74.1/0"	75 1/0"	
30" x 75"	29-7/8"	30-3/8"	74-1/2"	75-1/2"	

French Door Opening Size Availability

NOMINAL SIZE	FITS OPEN	ING WIDTH:	FITS OPENING HEIGHT:		
(Width of Two Standard Doors)	MINIMUM	MAXIMUM	MINIMUM	MAXIMUM	
146 Easy Vent Selection Combinat	ion Door Convers	ion Kit			
32" (2'8" and 2'8")	63-3/4"	64"			
36" (3'0" and 3'0")	71-3/4"	72"	80"	81"	
34" (2'10" and 2'10")	67-3/4"	68"			
150 Maximum View Combination D	oor Conversion I	Kit			
32" (2'8" and 2'8")	64"	64-1/4"		81"	
36" (3'0" and 3'0")	72"	72-1/4"	80"		
30" (2'6" and 2'6")	60"	60-1/4"	80		
34" (2'10" and 2'10")	68"	68-1/4"			
Classic-View Combination Door C	onversion Kit				
32" (2'8" and 2'8")	63-1/2"	64-1/8"	- 80"	01"	
36" (3'0" and 3'0")	71-1/2"	72-1/8"	80	81"	
Wood Core Storm Door Conversio	n Kit				
32" (2'8" and 2'8")	63-1/2"	64-1/8"			
36" (3'0" and 3'0")	71-1/2"	72-1/8"	00"	01"	
30" (2'6" and 2'6")	59-1/2"	60-1/8"	80"	81"	
34" (2'10" and 2'10")	67-1/2"	68-1/8"			

LIST PRICE

MODEL	FINISH	PART #	LIST PRICE
Non-Keyed	White	20266003	\$49.35
	Almond	20266008	\$47.25
Mirrored Handles ¹	Sandstone	20266009	040.05
830-80, 830-82, 691-55, 691-52, 691-90, 278-SS, 370-78, 370-79	Brown	20266004	\$49.35
	Brass	20266007	
	Brushed Nickel	20266017	\$58.80
	Aged Bronze	20266057	

French Door Conversion Kits

Order by part number.

LIST PRICE

		PART NUMBE	ER:					
MODEL	SIZE	WHITE	ALMOND	SANDSTONE	BROWN	GRAPHITE	BLACK	LIST PRICE
Easy Vent Selection	60" x 80"	080031033RF						
146FVE 146MV	64" x 80"	080031031RF	080031081RF	080031091RF	080031041RF	080031391RF	080031051RF	6120.20
146FV 146HV	68" x 80"	080031035RF		080031095RF				\$130.20
146BV 146PV	72" x 80"	080031032RF	080031082RF	080031092RF	080031042RF	080031392RF	080031052RF	
146FVE 146FV	Custom Sizes ²		Included in do	oor product ID.			Included in door product ID.	\$161.70
150	60" x 80"	08007033RF						
Maximum View	64" x 80"	08007031RF	08007081RF	08007091RF	08007041RF		08007051RF	A40.4 40
150FX 150FXE	68" x 80"	08007035RF						\$134.40
150BX	72" x 80"	08007032RF	08007082RF	08007092RF	08007042RF		08007052RF	
150FX 150FXE 150FXN 150FXEB 150FXB 150FXNB	Custom Sizes ²		Included in do	oor product ID.			Included in door product ID.	\$161.70
1-1/4" Thick 350-04	64" x 80"	08020361RF	08020861RF	08020961RF	08020461RF		08020561RF	6124.40
350-04	72" x 80"	08020362RF	08020862RF	08020962RF	08020462RF		08020562RF	\$134.40
	60"x80"	080103033RF			080103043RF			
Classic-View 360-16	64"x80"	080103031RF		080103091RF	080103041RF			\$110.2E
660-16 360-48	68"x80"	080103035RF						\$110.25
	72"x80"	080103032RF		080103092RF	080103042RF			
360-48	Custom Sizes ²	Included in door product ID.			Included in door product ID.			\$134.40
Lifestyle ¹ 830-80 830-82	64"x80"	08003061RF	08008061RF	08009061RF	08004061RF			Ć410.0E
830-85 691-52 691-90 691-55	72"x80"	08003062RF	08008062RF	08009062RF	08004062RF			\$110.25
830-80 830-82 830-85 691-52 691-90 691-55	Custom Sizes ²	Included in door product ID.					\$134.40	

French Door Conversion Kits continued

Order by part number.

LIST PRICE

		PART NUMBER:				
MODEL	SIZE	WHITE	ALMOND	SANDSTONE	BROWN	LIST PRICE
	60"x80"	08003053RF				
	64"x80"	08003051RF	08008051RF	08009051RF	08004051RF	
Life-Core ¹ 278-SS	72"x80"	08003052RF	08008052RF	08009052RF	08004052RF	0440.05
370-79 370-78	64"x85"	08003054RF				\$110.25
LifeStyle 370-84*	68"x80"	08003055RF	08008055RF	08009055RF	08004055RF	
0.0 0 1	72"x85"	08003057RF				
	Custom Sizes ²		Included in do	oor product ID.		\$134.40
	60"x80"	08003003RF	08008003RF		08004003RF	
298-SS	64"x80"	08003001RF	08008001RF		08004001RF	\$110.0F
370-50	68"x80"	08003005RF			08004005RF	\$110.25
	72"x80"	08003002RF	08008002RF		08004002RF	
380-05	60"x74" 60"x75" 60"x76"	08003003RF				
	64"x74" 64"x75" 64"x76" 64"x78"	08003001RF				\$110.25
	68"x78"	08003005RF				
	72"x74" 72"x78"	08003002RF				

¹Accepts mirrored handlesets. Must be ordered separately; includes shipping fee (refer to page 42).

²Custom sizes: Specify hinge side of main operating door as viewed from the outside.

*370-84 is not available in Sandstone or custom sizes.

Note: Larson reserves the right to alter or discontinue any model, specification, warranty or price without notice. Product finish colors are approximate; actual finish colors may vary.

Measuring Guide:

EXISTING FRENCH DOOR OPENING

- 1. Measure full width of opening from jamb exterior trim where storm doors will attach to the trim.
- 2. Measure full height of opening from head exterior trim to threshold where storm doors will attach.
- 3. Compare your dimensions with the standard French storm door opening size guide. If your opening does not match a standard, you need custom French doors.

Note: Continuous wood shims up to 1/4" thick can be installed behind both hinge mounting rails, allowing a given width of standard doors to fit an opening 1/2" wider. Extra long screws will be needed to secure.



EXPANDER

With a French door installation, you will have one lefthinge door and one right-hinge door. The astragal included in your French door kit replaces the latch side mounting rail included with each door. The full width drip cap included in the French door kit replaces the top drip caps included with the doors.

See pages 46-48 for size range per series.


ORDERING FRENCH DOOR UNITS

Standard Sizes: Order two standard size doors and a standard size French door kit.

Custom Sizes: Measure the true opening size of the entry and order the doors as one custom French door configuration with that measurement in inches. (For example, 73" x 84") Use the same measurement to order a French door kit separately.

TYPICAL LARSON, STORM DOOR FRENCH DOOR INSTALLATION

Kit parts, instructions and astragal vary by model.



FRENCH DOOR KIT

With our French door conversion kits, Larson storm doors are easily adapted for double door entry applications. Each kit includes detailed installation instructions, all necessary hardware, astragal and special drip cap. Refer to French door size guide for proper selection of French door conversion kits. Inactive handleset available on select models (sold separately).

Security Storm Doors Guardsman Collection

BE READY FOR LIFE WITH LARSON

The Guardsman Collection offers a complete line of steel security doors engineered to protect what matters most without sacrificing style and ease of use.



Welded-steel frame safeguards entry with industrial-grade protection.



Tempered safety glass protects entry from weather.



7-in reinforced hinges provide a secure mount.



Anti-removal vault pin is shielded within door to resist tampering.





Guardsman Collection




FRAME COLORS


White Sandstone Brown

Graphite Black


AVAILABLE MODELS



Courtyard 920-20




Garden View 920-21



Geneva 920-24



El Dorado **920-28**



SoHo **920-36**



¹Custom doors have extended, variable lead times. Once placed, custom orders cannot be canceled.

Note: Larson reserves the right to alter or discontinue any model, specification, warranty or price without notice. Product finish colors are approximate; actual finish colors may vary. See your Larson seller or visit larsondoors.com for details on limited warranties and exclusions.

LIST PRICE

MODEL	SIZE	WHITE	BLACK	SANDSTONE	BROWN	GRAPHITE
Courtyard 920-20		\$425.25		\$716.10		
Garden View 920-21		\$522.90		\$762.30		
Geneva 920-24	32" x 81" 36" x 81"	\$42	5.25	,	\$716.10	
El Dorado 920-28		\$50	4.00	,	\$716.10	
SoHo 920-36	920-36 \$468.30		\$	820.05		

SINGLE CUSTOM ¹						
		SIZE				
MODEL	REGULAR CUSTOM W: 30" - 36" H: 76" - 84"	OVERSIZE CUSTOM W: 36-1/8" - 42" H: 76" - 84"	OVERSIZE PLUS CUSTOM W: 30" - 42" H: 84-1/8" - 96"			
Courtyard 920-20	\$873.60	\$921.90	\$970.20			
Garden View 920-21	\$897.75	\$946.05	\$994.35			
Geneva 920-24	\$873.60	\$921.90	\$970.20			
El Dorado 920-28	\$946.05	\$994.35	\$1,092.00			
SoHo 920-36	\$946.05	\$994.35	\$1,092.00			
DOUBLE CUSTO	M¹					
Courtyard 920-20	\$1,746.15	\$1,843.80	\$1,940.40			
Garden View 920-21	\$1,794.45	\$1,892.10	\$1,988.70			
Geneva 920-24	\$1,746.15	\$1,843.80	\$1,940.40			
El Dorado 920-28	\$1,892.10	\$1,988.70	\$2,182.95			
SoHo 920-36	\$1,892.10	\$1,988.70	\$2,182.95			


TOO MANY KEYS?

Provide your own hardware so you can open your entry and security doors with the same key.

Select standard entry door hardware with a 2-3/8" backset and a 2-1/8" hole diameter.



Lock Box Location



STANDARD:

Hardware location for Guardsman doors are figured from the top of the opening down to the center of the lever/knob which is mounted in the top hole of the lock box. Based on a standard 81" door this measurement is 38".

CUSTOM:

When ordering, indicate the distance from the top of the door opening to the center of the lock box.

Allowable location is center of the door based on the centered ordered opening height + or - 12".

Example: Opening Height: 83"

Center of Door: 41-1/2"

Maximum Height: 53-1/2" (41-1/2" + 12" = 53-1/2")

Minimum Height: 53-1/2" (41-1/2" – 12" = 29-1/2")

ACCESSORY ADD-ONS ¹		
PRODUCT OPTIONS	FRAME COLORS & SIZES	ADD PER UNIT
Custom Lock Box Heights Provide measurements when ordering - see above.	Order Custom Sizes	\$80.85
Mail Slot – Silver or Brass Finish Double Doors: Mail slot installed on active door.	Order Custom Sizes	\$250.95
	White, Black - Standard Sizes only (Single Door)	\$57.75
Insect Screen Half screen fits top or bottom.	All Colors - Custom Sizes (Single Door)	\$69.30
Trail screen his top or bottom.	Double Door - 2 Screens	\$138.60

Measuring Guide:

SECURITY STORM DOORS


Use the diagram on the right to record your measurements as shown. If the width measurements vary, record the smallest measurement.

RECESS MOUNT

The rails mount inside the opening and require a 1" wide by 1" deep mounting surface.




Construction styles may vary.



PRE-HINGED FOR EFFORTLESS INSTALLATION

Select L (left-hinge) or R (right-hinge) as viewed from outside when ordering.



RECORD MEASUREMENTS

Α	Width	С	Width
В	Width	D	Height

SPECIFY WHEN ORDERING:

- A. Model Number
- B. Color
- C. Required Opening Size (Width x Height)
- **D.** Hinge Side (LH or RH)

STANDARD DOOR WIDTH	OPENING WIDTH RANGE	OPENING HEIGHT RANGE
32"	31-7/8" - 32-3/8"	79-3/4" to 81"
36"	35-7/8" - 36-3/8"	79-3/4 (0.81

Security Round Top Styles


Guardsman Collection

The Guardsman Collection features two styles in a round top configuration. These doors feature tempered safety glass and include a pneumatic closer and wind chain. Unlike standard security doors, round top doors require more complex installation; professional installation is recommended.

Delivery: Expect extended lead times from the day the order is placed and template is approved.

Installation: Framing includes three pieces and requires a professional installation for on-site adjustments.

FRAME COLORS







- Fixed glass panel.
- Mortise style lock included.
- Width: 30"-42", Height: 76"-96"



Double key lock cylinder standard. Thumb turn key optional with Brass and Antique Brass. Specify when ordering.










Brass



Antique







Interior

Courtyard Model PRODUCT FEATURES

- Security bars with 3 fixed glass panels.
- Reinforced lock box.
- Bottom insect screen sold separately.
- Width: 30"-42", Height: 76"-96"



TOO MANY KEYS?

Provide your own hardware so you can open your entry and security doors with the same key.

Select standard entry door hardware with a 2-3/8" backset and a 2-1/8" hole diameter.

Measuring Guide:

ROUND TOP GUIDELINES

For pricing, complete this form and email to quotes@larsondoors.com or FAX to 800-888-9006.

A		NOTES:
	(OPENING WIDTH / 2)	
FRAME BREAK		
DPENING HEIGHT	OPENING SPRING LINE	1. Hinging: as viewed from outside
C	D	Left-Hinge Right-Hinge 2. Rough Opening Height (A/B):
		3. Rough Opening Width (C/D):
B		4. Rough Opening Spring Line (E):
OPENING '	WIDTH	

A squared 1" x 1" brickmould is required for installation. Any shape other than a true half round will require an opening template.

DEALER	
CONTACT	
ADDRESS	
EMAIL	

Retractable Screen Products


SCREENS FOR YOUR WHOLE HOME

Larson. screen products are designed to fit most existing door or window applications for the patio, lanai, garage, gazebo and front door. In addition to providing instant ventilation, retractable screens offer protection from airborne pests and harsh UV rays.

RETRACTABLE SCREEN BENEFITS

Choose from a complete line of screens which includes options for single door openings as well as large openings up to 315" (26') wide. Available in trending colors and styles to complement your home.

- Protection from airborne, biting pests.
- Easy to install and operate.
- Smooth operation with controlled retraction.
- Supports fresh, natural ventilation.





Find the Right Screen

Use this guide to find the retractable screen that fits your opening and meets your overall needs. Once you have narrowed down your selection, go to each product page for complete details.

OPENING TYPE	MODEL	SIZING	INSTALLATION TYPE
RETRACTABLE SCRI	EEN DOOR - SIN	GLE & DOUBLE	
	Brisa 7721	Standard Sizes: Fits most traditional 6'6", 6'8" and 8'0" high entries up to 36" wide.	Surface / Face Mount
Single Hinged Door	Escape E100	Custom Sizes: Up to 60"w x 96"h.	Surface / Face Mount Recess / Inset Mount
	Inspire	Custom Sizes: Up to 63"w x 125"h.	Recess / Inset Mount
	Brisa 7722	Standard Sizes: Fits most traditional 6'6", 6'8" and 8'0" high entries up to 72" wide.	Surface / Face Mount
Double Hinged Doors	Escape E200	Custom Sizes: Up to 96"w x 96"h.	Surface / Face Mount Recess / Inset Mount
	Inspire	Custom Sizes: Up to 126"w x 125"h.	Recess / Inset Mount
Sliding Patio Door	Brisa 7723*	Standard Size: Fits most 6'8" high XO or OX sliding patio doors.	Surface / Face Mount
RETRACTABLE SCR	EEN DOOR - MUL	TI-PANEL	
	Wall Screen WS1000	Custom Sizes: Up to 177"w x 118"h. Maximum opening size of 114-3/5 sq. ft.	Recess / Inset Mount
Multi-Panel Doors	Wall Screen WS2000	Custom Sizes: Up to 315"w x 118"h. Maximum opening size of 229-1/5 sq. ft.	Recess / Inset Mount
	Inspire	Custom Sizes: Up to 378"w x 125"h.	Recess / Inset Mount
RETRACTABLE WIN	DOW		
Casement, Awning Slider & Others	NatureVue NV100	Custom Sizes: 76"w x 92-1/4"h.	Surface / Face Mount Recess / Inset Mount
RETRACTABLE MOT	ORIZED SCREEN		
Porch, Patio, Gazebo, Outdoor Living Area	Retractable Motorized Screen 6+, 7+, 8+, 9+, 10+	Custom Sizes: Up to 240"w x 144"h, depending on screen type.	Surface / Face Mount Recess / Inset Mount

FABRIC TYPE	FEATURES
Smooth	EZ-Glide System ■ 30-Minute Install ¹ ■ Mechanical Latch & Lock
Smooth	Slam-Proof Retraction ■ Worry-Free Ventilation ■ Magnetic Latch
Pleated	Flat Bottom Guide Anywhere Positioning Magnetic Latch
Smooth	EZ-Glide System ■ 30-Minute Install ¹ ■ Mechanical Latch & Lock
Smooth	Slam-Proof Retraction ■ Worry-Free Ventilation ■ Magnetic Latch
Pleated	Flat Bottom Guide Anywhere Positioning Magnetic Latch
Smooth	EZ-Glide System ■ 30-Minute Install¹ ■ Mechanical Latch & Lock
Pleated	One-hand Operation ■ Anywhere Positioning ■ Mechanical Latch
Pleated	One-hand Operation ■ Anywhere Positioning ■ Mechanical Latch
Pleated	Flat Bottom Guide ■ Anywhere Positioning ■ Magnetic Latch
Smooth	Controlled Retraction ■ Thick Insect Pile ■ Metal Handle
Smooth	Remote and Automated Operation ■ Insect, Solar and Privacy, and Vinyl Options ■ Durable Construction



Brisa Retractable Screen Door

7721 (Single) 7722 (Double) 7723 (Slider)

A FRESH APPROACH TO FRESH AIR

Open your home to a new world of fresh air and light with the Brisa retractable screen door that pairs smart, contemporary design with smooth operation.

TOP BENEFITS



Worry-free ventilation. Screen provides bug-free air when you need it and retracts out of sight when you don't.



Smooth operation. The EZ-Glide System and ergonomic handle work together for easy, one-hand operation.



30-minute install. Surface mount installation for right- or left-hand operation.

ADDITIONAL FEATURES

- Durable rust-resistant aluminum housing and track provide long-term reliability.
- Subtle stripes prevent walk-throughs.
- Quick-snap track requires no cutting for standard size openings.

FRAME COLORS

White

Sandstone



Brown




Black




CONFIGURATIONS







7722 Double



7723 Slider

¹Based on average DIY skills and standard door application, widths 32"-36" (single), 68"-72" (double).

^{*}The Brisa retractable door screen is a face (surface) mounted product.

^{**}The Brisa retractable door screen for sliding patio doors has been specifically designed and sized to mount on a typical 6'8" tall sliding patio door.

Note: See your Larson seller or visit larsondoors.com for details on limited warranties and exclusions. Not intended to keep children or pets inside. Product finish colors are approximate; actual finish colors may vary.

LIST PRICE

BRISA - SINGLE PACK							
MODEL		OPENING WIDTH	OPENING HEIGHT	WHITE	SANDSTONE	BROWN	BLACK
	Short	32" - 36"	78"-79" (e.g. 6'6" doors)	\$252.90 \$252.90			
Brisa 7721* Single Door	Standard	32" - 36"	80"-81" (e.g. 6'8" doors)				
· ·	Tall	32" - 36"	96"-97" (e.g. 8'0" doors)	\$333.90			
	Short	68" - 72"	78"-79" (e.g. 6'6" doors)	ors) \$445.20 ors) \$445.20			
Brisa 7722* Double Door	Standard	68" - 72"	80"-81" (e.g. 6'8" doors)				
	Tall	68" - 72"	96"-97" (e.g. 8'0" doors)			35	
Brisa 7723** Sliding Door	Standard	32" - 36"	78"-79" (e.g. 6'6" doors)	\$288.75			

BRISA - 3-PACK							
MODEL		WHITE	SANDSTONE	BROWN	BLACK		
	Short	\$706.14					
Brisa 7771* Single Door	Standard	\$706.14					
	Tall	\$939.75					
Brisa 7773** Sliding Door	Standard	\$805.35					

SPECIFY WHEN ORDERING:

- **A.** Quantity
- B. Product Model Number
- C. Short, Standard, Tall
- **D.** Frame Color

- Mounts easily on a minimum 1" x 1" surface area.
- No cut, quick-snap track installs easily and adjusts to widths between 32" and 36" for single and sliding door applications, and between 68" and 72" for double doors.

Note: If door is less than 32" wide (single) or 68" wide (double), two simple cuts are required.

sliding patio door sizes.

Feature Overview

The Brisa retractable screen offers innovative features and smooth operation without compromising on style.

ASSEMBLY Simple-to-install quick-snap track means fewer assembly steps and an easier installation experience. Speed reducer provides safety and 30-minute or controlled retraction. less installation.1 Fits both left- and right-hand inswing and outswing doors with no modification. **HANDING SCREEN FABRIC** Adjusts easily to fit a left- or right-hand application. Anti-fraying double weave at the top and bottom of the screen fabric. Durable screen fabric with subtle safety stripes woven into the fabric provide faint visual cues SMOOTH GLIDING, to help prevent walk-through. Top stripes are **NO SLAMMING** for people and bottom for pets. Screen retracts all the way without assistance or banging. **HANDLE** Ergonomically designed handle with latch and lock offers simple and secure one-hand operation. Locking handle. Mechanical latch. **STYLES** Wide range of standard sizes, including 96" high doors. Telescoping width adjustment allows the screen to fit a range of opening widths. SILL PLATE Stock sizes that fit most typical door sizes. Aluminum sill plate with adjustable Available in single door, double door and extenders (no gaps, blunt or

sharp edges to step on).

Additional Sizing & Application Detail

Shown below are the size ranges for Brisa single, double and slider options.

The Brisa screen for single- and double-panel hinged doors is surface / face mounted to the front surface of the door brickmould / trim (see image).

Doors, door frames and door sills vary by manufacturer. An advantage of surface mounting the Brisa screen is the ability to position it up or down in the opening to best fit the door frame before fastening in place. This makes the Brisa screen extremely versatile and able to fit multiple opening heights.

6'8" high door heights are the most common, however heights vary by geographic region. When installing on a single- or double-hinged door, a 3/4" or greater mounting surface depth is required inside the door frame. For 6'8" high sliding patio doors, refer to installation and mounting instructions.



Surface / Face Mounting on a Traditional Hinged Door.

The Brisa retractable screen door is a surface / face mounted product. However, sizing is determined by door opening rather than the intended placement of the Brisa on the exterior door trim or brickmould. Measure for your Brisa by true opening size.

DOOR TYPE	MODEL HEIGHT	FITS OPENING WIDTHS	FITS OPENING HEIGHTS	TIP-TO-TIP HEIGHT DIMENSIONS OF ASSEMBLED SCREEN HOUSING
Single	Short	32"-36"	78"-79" (e.g. 6'6" doors)	79"
Single	Standard	32"-36"	80"-81" (e.g. 6'8" doors)	81-3/8"
Single	Tall	32"-36"	96"-97" (e.g. 8'0" doors)	97-3/8"
Double	Short	68"-72"	78"-79" (e.g. 6'6" doors)	79"
Double	Standard	68"-72"	80"-81" (e.g. 6'8" doors)	81-3/8"
Double	Tall	68"-72"	96"-97" (e.g. 8'0" doors)	97-3/8"
Slider	Standard	32"-36"	78"-79" (e.g. 6'6" doors)	79-1/4"

- Two cuts required if less than 32" for single doors and 68" for double doors.
- Door designs and thresholds vary. It may be possible to position the screen upwards or downwards to fit an opening size not listed. In such cases, a filler board or trim may be needed. Doors with transoms above the door may also require a filler board or trim before or after installing the screen. Always ensure the bottom of the screen is firmly supported (see page 62).
- The Brisa slider fits most traditional 6'8" tall patio doors and includes different mounting hardware and a slightly shorter screen housing. This allows the system to rest in the opening as needed (see page 66).

Screen Height Position on a Hinged Door

TYPICAL INSTALLATION:

No filler board should be necessary. The unit can be moved up and down to fit the opening as desired.

ALTERNATIVE INSTALLATION:

A filler board (trim) may be needed if the screen is positioned differently or if the opening height is outside of the recommended size range.





the edge of the door

corners or gaps.


frame leaving no sharp

Screens for Single Panel Hinged Doors


Available in three heights — short, standard and tall — to fit most common doors.



Component Dimensions – Single Screen



Shown in Locked Position




Screens for Double Panel Hinged Doors

Available in three heights — short, standard and tall — to fit most common doors.




Note: Construction styles may vary.




Brisa for Sliding Patio Doors

The Brisa screen for single sliding patio doors is for use with traditional 6'8" high sliding patio doors. (Fig. A) This screen features unique mounting hardware and is specially sized so that the screen housing will rest and secure to the outer door frame. The door frame must have a surface to attach the mounting bracket screws. The distance between these screws is 78-1/2". (See Fig. C & D) Please see the following images and visit larsondoors.com/screens/brisa-retractable-screens to view the installation video and instructions.







Inspire Pleated Retractable Screen Door

SEAMLESS INDOOR-OUTDOOR LIVING

Create a smooth transition between indoor and outdoor living with the Inspire pleated retractable screen door.

TOP BENEFITS



Fresh style. Elegant, pleated fabric provides ventilation with refined design.



Unobstructed access. The flat bottom guide installs without a runner for easy movement through the entry.



Custom-made ventilation. Designed to fit single and double doors and openings up to 31-1/2' wide and over 10' high.

ADDITIONAL FEATURES

- Easily move and stop the screen at any position with one hand.
- Includes metal adjustable-height handles.
- Pre-assembled for easy installation without any cutting.

FRAME COLORS

White

Almond

Desert Tan


Brownstone




Black




PROFILES






Screen Panel Profiles with Pleated Fabric




Bottom Guide

OPENING CONFIGURATIONS View from the Outside (Specify Configuration When Ordering)



LEGEND





LIST PRICE

INSPIRE IN100 (Custom Sizes)						
FINISH COLOR	WIDTH PER PANEL MIN-MAX	HEIGHT PER PANEL MIN-MAX	PRICE PER PANEL ¹			
White Almond Desert Tan Brownstone Black	up to 63"	22" - 84"	\$512.40			
		84-1/8" - 96"	\$561.75			
		96-1/8" - 114"	\$612.15			
		114-1/8" – 125" For larger openings, call for quote.	\$833.70			

SPECIFY WHEN ORDERING:

- A. Quantity
- B. Product Model
- C. Frame Color
- D. Net Screen Opening Size (Width x Height)
- E. Configuration for Multi-Panel Orders
- When ordering, provide the net finished opening dimension, color, total number of desired screen panels and opening configuration as viewed from outside.
- Panels may be combined to accommodate larger openings but must be ordered using opening configurations as shown (1E - 6C). Maximum number of panels per opening: 3 from right / 3 from left = 6 TOTAL PANELS UP TO 31-1/2!.
- Screen panel height must be at least 10" higher than width.
- Custom doors have extended, variable lead times. Once placed, custom orders cannot be canceled. All other orders can be canceled within the first 24 hours.



Escape. Retractable Screen Door

Escape E100 (Single) E200 (Double)

AT THE THRESHOLD OF SERENITY

Enjoy the outdoors without interruption using the Escape retractable screen door.

TOP BENEFITS



Worry-free ventilation. Screen provides bug-free air when you need it and retracts out of sight when you don't.



Slam-proof retraction. Controlled retraction prevents the screen from slamming shut.



Custom-made ventilation. Designed to fit single and double doors and openings up to 96" wide and up to 96" high.

ADDITIONAL FEATURES

- Features a durable finish and tear-resistant fabric.
- Includes metal adjustable-height handles.
- Pre-assembled for easy recessed or surface-mount installation without any cutting.

FRAME COLORS

White

Almond


Desert Tan





Black



CONFIGURATIONS








E200 Double

PROFILES

E100 Single



LIST PRICE


ESCAPE E100 (Custom Sizes)				
WIDTH MIN-MAX	HEIGHT PRICE			
20" - 60"	36" - 84"	\$371.70		
20" - 60"	84-1/8" - 96"	\$467.25		

ESCAPE E200 (Custom Sizes)				
WIDTH MIN-MAX	HEIGHT MIN-MAX	PRICE		
30" - 96"	36" - 84"	\$599.55		
30" - 96"	84-1/8" - 96"	\$670.95		


SCREEN FABRIC OPTION	SCREEN COLORS	UPCHARGE
BetterVue. Clear Visibility Screen Traditional Roller Style Screens: 60" Max Width Per Panel Smooth-Glide Roller Style Screens: 66" Max Width / 36mm Cassette	Charcoal	Add 10% to List Price
17 x 20 Ultra Strength Screen 42" Max Width Per Panel	Black or White	Add 15% to List Price
Heavy-Duty PetScreen。 44" Max Width Per Panel	Charcoal	Add 25% to List Price
TuffScreen. No-See-Ums Fabric with Enhanced Solar Protection 56" Max. Width Per Screen Panel	Charcoal	Add 25% to List Price

SCREEN FABRIC OPTION	COLORS	UPCHARGE	
(Larson recommends that you deduct 1/16" from height of the net so	reen opening when using a t	ransition.)	
Narrow Threshold Transition with End Caps	Silver or Bronze	\$1.05 Per Lineal Inch of the Width Measurement	
Medium Threshold Transition with End Caps	Silver or Bronze	\$1.05 Per Lineal Inch of the Width Measuremen	
Rubber "L" Bug Seal For Use in the Back Channel of the Screen Cassette (not installed)		\$0.23 Per Lineal Inch of the Width Measurement	
No Speed Reducer (Brake)		Deduct \$10 from List Price	
Wind Pile Weather Strip In The Top Guide Rail		No Additional Charge	
Sloped Wedge Shim (12" each) For Use with Traditional 15mm x 22mm Bottom Guide		\$4.20/ea.	
Sloped Wedge Shim (12" each) For Use with Narrow Threshold Transition		\$4.20/ea.	
Sloped Wedge Shim (12" each) For Use with Medium Threshold Transition		\$4.20/ea.	

THRESHOLD TRANSITION KITS (2 pieces plus end caps per each kit.)						
TRANSITION STYLE	DESCRIPTION	PART # SILVER FINISH	PART # BRONZE FINISH	LIST PRICE		
Narrow	2 Pieces 40" Long	06-01120-0-0	06-01120-1-2	\$33.60		
	2 Pieces 72" Long	06-12010-0-0	06-12010-1-2	\$47.25		
Medium	2 Pieces 40" Long	06-01130-0-0	06-01130-1-2	\$43.05		
	2 Pieces 72" Long	06-12020-0-0	06-12020-1-2	\$54.60		



Medium



Narrow

SPECIFY WHEN ORDERING:

- A. Quantity
- B. Product Model (E100 or E200)
- C. Frame Color
- **D.** Mounting Type
 - a. Recess / Inset Mounted or
 - b. Surface / Face Mounted
- **E.** Net Screen Opening Size (Width x Height)
- **F.** Options (Specify any desired options or alternate screen fabric)

 Custom doors have extended, variable lead times. Once placed, custom orders cannot be canceled. All other orders can be canceled within the first 24 hours.


Measuring Guide:

SINGLE PANEL DOOR SCREENS

Applies only to Escape, and Inspire inside mount applications.

Measuring a typical hinged door for the net screen opening dimensions.

Begin by deciding where best to position the screen. The opening must be plumb, level and square, and the bottom guide of the retractable screen must rest on a flat, level and solid surface. Make any needed adjustments to the opening (or plan and allow for shimming) before measuring for the screen. Determine the **net screen opening dimension** (width x height) as measured from the outermost edges of where the retractable screen will rest. Screens are then made to fit these dimensions. Manufacturing tolerances are **plus or minus 1/16"**. We recommend that with inside the frame installations (**options A or B**) that you **deduct an additional 1/16"** from the width and height dimensions that you submit in order to assure that the screen is not too tight in the opening during installation. If you plan on using shims or threshold transitions, be sure to also deduct appropriately for these. See the product model catalog pages and installation instructions for more detail.



COMMON INSTALLATIONS


- **OPTION A** Inside the Frame (Recess / Inset Mounted)
- **OPTION B** Fully Inside the Frame (Recess / Inset Mounted)
- **OPTION C** Outside the Frame (Surface / Face Mounted)


RECORD FINAL NET SCREEN OPENING DIMENSIONS

W _____

(If using installation option A or B, deduct 1/16" from the width and height to order).


OPTION A (Recommended) INSIDE THE FRAME INSTALLATION Recess Mounted at the Brickmould






OPTION B


INSIDE THE FRAME INSTALLATIONFully Inside the Master Frame






OPTION C

OUTSIDE THE FRAME INSTALLATIONSurface / Face Mounted






Measuring Guide:

DOUBLE PANEL DOOR SCREENS

Applies only to Escape, and Inspire, inside mount applications.

Measuring a typical hinged double door for the net screen opening dimensions.

Begin by deciding where best to position the screen. The opening must be plumb, level and square and, the bottom guide of the retractable screen must rest on a flat, level and solid surface. Make any needed adjustments to the opening (or plan and allow for shimming) before measuring for the screen. Determine the net screen opening dimension (width x height) as measured from the outermost edges of where the retractable screen will rest. Screens are then made to fit these dimensions. Manufacturing tolerances are plus or minus 1/16". We recommend that with inside the frame installations (options A or B) that you deduct an additional 1/16" from the width and height dimensions that you submit in order to assure that the screen is not too tight in the opening during installation. If you plan on using shims or threshold transitions, be sure to also deduct appropriately for these. See the product model catalog pages and installation instructions for more detail.



COMMON INSTALLATIONS

- **OPTION A** Inside the Frame (Recess / Inset Mounted)
- **OPTION B** Fully Inside the Frame (Recess / Inset Mounted)
- **OPTION C** Outside the Frame (Surface / Face Mounted)


RECORD FINAL NET SCREEN **OPENING DIMENSIONS**

W	 	
Н	 	

(If using installation option A or B, deduct 1/16" from the width and height to order).

OPTION A (Recommended) INSIDE THE FRAME INSTALLATION Recess Mounted at the Brickmould






OPTION B


INSIDE THE FRAME INSTALLATION Fully Inside the Master Frame







OPTION C

OUTSIDE THE FRAME INSTALLATION Surface / Face Mounted







Retractable Wall Screen

WS1000 (Single), WS2000 (Double)

A NEW HORIZON FOR VENTILATION

The ideal screen solution for bi-folding, lift-n-slide and other large opening doors and windows, the Retractable Wall Screen fills the home with fresh air.

TOP BENEFITS



Fresh style. Elegant, pleated fabric provides ventilation with refined design.



Smooth operation. Easily move and stop the screen at any position with one hand.



Custom-made ventilation. Designed to fit openings up to 315" wide and 118" high.

ADDITIONAL FEATURES

- The single screen WS1000 can open from either end.
- The double screen WS2000 features two panels that meet in the middle.
- Pre-assembled for easy recessed installation.

FRAME COLORS

White

Desert Tan


Brownstone




Black



CONFIGURATIONS







WS2000 Double

PRODUCT DETAILS



Screen Panel Assembly WS1000 (qty. 1)



Screen Panel Assembly WS2000 (qty. 2)



Top Guide



Side Profile




Bottom Guide

Note: See your Larson seller or visit larsondoors.com or details on limited warranties and exclusions.


Not intended to keep children or pets inside. Product finish colors are approximate; actual finish colors may vary.

PROFILES

MODEL - WS1000 (SINGLE)



MODEL - WS2000 (DOUBLE)





LIST PRICE

	WS1000	- SINGLE	PANEL									
	114-1/8" – 118"	\$1,496.25	\$1,697.85	\$1859.55	\$1,958.25	\$2,062.20						
	108-1/8" – 114"	\$1,461.60	\$1,646.40	\$1,813.35	\$1,905.75	\$2,044.35						
HEIGHT	102-1/8" – 108"	\$1,374.45	\$1,535.10	\$1,694.70	\$1,797.60	\$1,877.40	\$1,940.40					
単	96-1/8" - 102"	\$1,230.60	\$1,392.30	\$1,554.00	\$1,651.65	\$1,778.70	\$1,831.20	\$1,917.30				
	72-1/8" – 96"	\$780.15	\$988.05	\$1,299.90	\$1,403.85	\$1,478.40	\$1,570.80	\$1,640.10	\$1,720.95			
	24" - 72"	\$704.55	\$872.55	\$1,195.95	\$1,293.60	\$1,380.75	\$1,450.05	\$1,501.50	\$1,554.00			
	UP TO	24" - 48"	48-1/8" - 72"	72-1/8" – 96"	96-1/8" - 120"	120-1/8" – 138"	138-1/8" – 154"	154-1/8" – 166"	166-1/8" – 177"			
		WIDTH										

24" Minimum Width & Height | Maximum Size 114.6 sq. ft. (W x H/144)

	WS2000	- DOUE	BLE PAN	EL								
	114-1/8" – 118"	\$2,610.30	\$2,841.30	\$3,106.95	\$3,407.25	\$3,661.35	\$3,869.25	\$4,100.25				
	108-1/8" - 114"	\$2,529.45	\$2,760.45	\$3,026.10	\$3,314.85	\$3,568.95	\$3,765.30	\$3,984.75	\$4,134.90			
HEIGHT	102-1/8" – 108"	\$2,356.20	\$2,575.65	\$2,818.20	\$3,072.30	\$3,314.85	\$3,499.65	\$3,696.00	\$3,846.15	\$3,915.45		
Ĭ	96-1/8" - 102"	\$2,125.20	\$2,344.65	\$2,587.20	\$2,933.70	\$3,153.15	\$3,326.40	\$3,522.75	\$3,649.80	\$3,719.10	\$3,788.40	
	72-1/8" – 96"	\$1,917.30	\$2,079.00	\$2,321.55	\$2,621.85	\$2864.40	\$3,037.65	\$3,222.45	\$3,361.05	\$3,430.35	\$3,488.10	
	24" – 72"	\$1,744.05	\$1,917.30	\$2,148.30	\$2,402.40	\$2,587.20	\$2,748.90	\$2,910.60	\$3,026.10	\$3,095.40	\$3,153.15	
	UP TO	40" - 72"	72-1/8" – 96"	96-1/8" – 132"	132-1/8" – 168"	168-1/8" – 204"	204-1/8" - 240"	240-1/8" - 276	276-1/8" - 300"	300-1/8" - 312"	312-1/8" – 315"	
		WIDTH										

40" Minimum Width; 24" Minimum Height | Maximum size 229-1/5 sq. ft. (W x H/144)

SPECIFY WHEN ORDERING:

- A. Quantity
- **B.** Product Model (WS1000 for Single Panel or WS2000 for Double Panel)
- C. Frame Color
- **D.** Net Screen Opening Size (Width x Height)

- Measuring & Installation: Designed to be installed within a framed opening (e.g. inset / recess mounted). 1-1/4" or deeper mounting surface required.
 Prior to measuring, be sure the opening is plumb, level and square and that the bottom guide has a flat, stable and smooth surface to rest on. Adjust the opening as needed.
- 2-piece top guide when over 180" wide.

Note: Extended lead times may apply.


Measuring Guide:

WALL SCREEN AND INSPIRE (MULTI-PANEL) SCREENS

Measure for the net screen opening dimensions.

Begin by deciding where best to position the screen. The opening must be plumb, level and square and, the bottom guide of the retractable screen must rest on a flat, level and solid surface. Make any needed adjustments to the opening (or plan and allow for shimming) before measuring for the screen.

Determine the net screen opening dimension (width x height) as measured from the outermost edges of where the retractable screen will rest. Screens are then made to fit these dimensions. Manufacturing tolerances are plus or minus 1/16". Because of this, we recommend that you deduct an additional 1/16" from the width and height dimensions that you submit in order to assure that the screen is not too tight in the opening during installation.



RECOMMENDED INSTALLATION TYPE

Inside the Frame Installation (Recess / Inset Mounted)

RECORD FINAL NET SCREEN OPENING DIMENSIONS

W				
Н				

(Deduct 1/16" from the width and height to order).

BEFORE YOU MEASURE

Before measuring, ordering and installing the screen, ensure that the opening is plumb, level and square and that the bottom of the opening has a flat, stable and smooth mounting surface. If needed, add a metal strip or other material (sourced elsewhere), to create a suitable surface for mounting the bottom guide rail of the retractable screen.

EXAMPLES



Uneven Tile Floor




Aggregate Cement Floor



Angled Door Sill







Retractable Motorized Screen

Models 6+, 7+, 8+, 9+, 10+

ENJOY THE VIEW IN COMFORT

Protect against insects, debris, sun, heat and wind with the Larson.

Retractable Motorized Screen and its selection of five purpose-built screens that fully retract for an unobstructed view.

TOP BENEFITS



Effortless operation. Conveniently raise and lower the screen with the push of a button on the remote – or let the automatic sun-wind sensor adjust the screen to match the weather.



Engineered endurance. The edge of the screen fabric is sonic welded to heavy-duty zipper tracks, sealing gaps on all sides and providing extra durability.



Custom-made solutions. Designed to fit openings up to 20' wide and 12' high, depending on screen type.

ALUMINUM **FRAME COLORS**

TUFFSCREEN. **SCREEN COLORS**

Black

TUFFSCREEN. NO-SEE-UMS **SCREEN COLORS**









Black

SUNTEX. 80 **SCREEN COLORS**

SUNTEX. 95 SCREEN COLORS



CLEAR VINYL WITH WEBLON, SURROUND COLORS

Sail White	Ivory Coast	Almond	Sand	Ebbtide Tan	Beige
Dark Taupe	Charcoal Gray	Driftwood Gray	Gull Gray	Pirate Black	Barque Brown
Sea Palm	Harbor Green	Tropic Green	Teal	Jade	Aquamarine
Island Turquoise	Bay Blue	Ocean Blue	Deepsea Blue	Navy Blue	Glade Green
Cork Brown	Rust	Terra Cotta	Burgundy	Panama Purple	Deep Red
Portlight Red	Sunset Orange	Beacon Yellow	Sunrise Saffron		

Note: See your Larson seller or visit larsondoors.com for details on available product sizes and options. Product finish colors are approximate; actual finish colors may vary. This is a motorized screen, which requires a separate power source to operate. The screen will not move up or down without power. We recommend that you purchase a backup power supply. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets or children inside. This product contains one or more devices that comply with UL standards for electrical safety and with part 15 of FCC Rules for radio frequency devices.

Insect Screens

Experience outdoor living without the bugs. Insect screens safeguard against airborne pests and are made of durable, vinyl-coated polyester that resists tears and punctures.

TUFFSCREEN.

TUFFSCREEN. NO-SEE-UMS

Protects against airborne pests.

Protects against even the smallest airborne pests with a tighter weave.

LIST PRICE

6+ INS	ECT SCF	REEN 4	4.5" CAS	SETTE	Remote Sol	d Separately				
	1' – 3' H	4' H	5' H	6' H	7' H	8' H	9' H	10' H	11' H	12' H
3' W	\$2,019.15	\$2,019.15	\$2,160.90	\$2,279.55	\$2,529.45	\$2,566.20	\$2,663.85			
4' W	\$2,097.90	\$2,097.90	\$2,242.80	\$2,361.45	\$2,614.50	\$2,653.35	\$2,745.75			
5' W	\$2,174.55	\$2,174.55	\$2,321.55	\$2,443.35	\$2,693.25	\$2,732.10	\$2,829.75			
6' W	\$2,261.70	\$2,261.70	\$2,405.55	\$2,522.10	\$2,774.10	\$2,819.25	\$2,916.90			
7' W	\$2,342.55	\$2,342.55	\$2,487.45	\$2,611.35	\$2,861.25	\$2,901.15	\$2,998.80			
8' W	\$2,426.55	\$2,426.55	\$2,574.60	\$2,693.25	\$2,945.25	\$2,985.15	\$3,079.65			
9' W	\$2,511.60	\$2,511.60	\$2,656.50	\$2,772.00	\$3,021.90	\$3,072.30	\$3,164.70			
10' W	\$2,592.45	\$2,592.45	\$2,737.35	\$2,859.15	\$3,109.05	\$3,154.20	\$3,250.80			
11' W	\$2,672.25	\$2,672.25	\$2,822.40	\$2,937.90	\$3,190.95	\$3,232.95	\$3,332.70			
12' W	\$2,756.25	\$2,756.25	\$2,901.15	\$3,021.90	\$3,271.80	\$3,322.20	\$3,419.85			
13' W	\$2,840.25	\$2,840.25	\$2,985.15	\$3,105.90	\$3,356.85	\$3,404.10	\$3,498.60			
14' W	\$2,924.25	\$2,924.25	\$3,072.30	\$3,187.80	\$3,437.70	\$3,488.10	\$3,582.60			
15' W	\$3,006.15	\$3,006.15	\$3,151.05	\$3,269.70	\$3,522.75	\$3,572.10	\$3,669.75			
16' W	\$3,048.15	\$3,048.15	\$3,193.05	\$3,314.85	\$3,566.85	\$3,598.35	\$3,696.00			
16.5' W	\$3,090.15	\$3,090.15	\$3,235.05	\$3,356.85	\$3,608.85	\$3,640.35	\$3,738.00			

Round up to next foot for accurate pricing (e.g. a 10'1"w x 8'2"h opening would be 11'w x 9'h).

7+ INS	ECT SCR	EEN 5	5.5" CAS	SETTE	Remote Sold Separately					
	1' – 3' H	4' H	5' H	6' H	7' H	8' H	9' H	10' H	11' H	12' H
3' W	\$3,058.65	\$3,058.65	\$3,058.65	\$3,058.65	\$3,058.65	\$3,095.40	\$3,135.30	\$3,172.05	\$3,208.80	\$3,245.55
4' W	\$3,145.80	\$3,145.80	\$3,145.80	\$3,145.80	\$3,145.80	\$3,185.70	\$3,314.85	\$3,353.70	\$3,390.45	\$3,427.20
5' W	\$3,232.95	\$3,232.95	\$3,232.95	\$3,232.95	\$3,232.95	\$3,274.95	\$3,404.10	\$3,440.85	\$3,479.70	\$3,519.60
6' W	\$3,320.10	\$3,320.10	\$3,320.10	\$3,320.10	\$3,320.10	\$3,362.10	\$3,493.35	\$3,448.20	\$3,484.95	\$3,524.85
7' W	\$3,406.20	\$3,406.20	\$3,406.20	\$3,406.20	\$3,406.20	\$3,451.35	\$3,582.60	\$3,538.50	\$3,577.35	\$3,617.25
8' W	\$3,493.35	\$3,493.35	\$3,493.35	\$3,493.35	\$3,493.35	\$3,538.50	\$3,675.00	\$3,683.40	\$3,711.75	\$3,717.00
9' W	\$3,577.35	\$3,577.35	\$3,577.35	\$3,577.35	\$3,577.35	\$3,627.75	\$3,762.15	\$3,780.00	\$3,795.75	\$3,811.50
10' W	\$3,669.75	\$3,669.75	\$3,669.75	\$3,669.75	\$3,669.75	\$3,714.90	\$3,856.65	\$3,809.40	\$3,859.80	\$3,903.90
11' W	\$3,756.90	\$3,756.90	\$3,756.90	\$3,756.90	\$3,756.90	\$3,801.00	\$3,943.80	\$3,982.65	\$3,991.05	\$3,998.40
12' W	\$3,837.75	\$3,837.75	\$3,837.75	\$3,837.75	\$3,837.75	\$3,891.30	\$4,036.20	\$4,048.80	\$4,083.45	\$4,093.95
13' W	\$3,928.05	\$3,928.05	\$3,928.05	\$3,928.05	\$3,928.05	\$3,980.55	\$4,120.20	\$4,135.95	\$4,159.05	\$4,185.30
14' W	\$4,017.30	\$4,017.30	\$4,017.30	\$4,017.30	\$4,017.30	\$4,069.80	\$4,153.80	\$4,180.05	\$4,228.35	\$4,296.60
15' W	\$4,104.45	\$4,104.45	\$4,104.45	\$4,104.45	\$4,104.45	\$4,153.80	\$4,209.45	\$4,267.20	\$4,322.85	\$4,378.50
16' W	\$4,148.55	\$4,148.55	\$4,148.55	\$4,148.55	\$4,148.55	\$4,183.20	\$4,223.10	\$4,296.60	\$4,354.35	\$4,391.10
17' W	\$4,159.05	\$4,159.05	\$4,159.05	\$4,159.05	\$4,159.05	\$4,196.85	\$4,256.70	\$4,328.10	\$4,396.35	\$4,438.35
18' W	\$4,193.70	\$4,193.70	\$4,193.70	\$4,193.70	\$4,193.70	\$4,256.70	\$4,309.20	\$4,370.10	\$4,427.85	\$4,488.75
19' W	\$4,277.70	\$4,277.70	\$4,277.70	\$4,277.70	\$4,277.70	\$4,340.70	\$4,399.50	\$4,459.35	\$4,522.35	\$4,583.25
20' W	\$4,707.15	\$4,707.15	\$4,707.15	\$4,707.15	\$4,707.15	\$4,770.15	\$4,827.90	\$4,883.55	\$4,954.95	\$5,014.80

Round up to next foot for accurate pricing (e.g. a 10'1"w x 8'2"h opening would be 11'w x 9'h).

Solar and Privacy Screens

Create a private getaway free from the heat of the sun and the gaze of your neighbors. Solar and privacy screens block the sun and its heat for cooler outdoor spaces with added privacy.

SUNTEX. 80

SUNTEX. 95

Provides approximately 75% UV blockage for shade and privacy.

Provides approximately 95% UV blockage for excellent shade and privacy.

LIST PRICE

8+ SOI	8+ SOLAR AND PRIVACY SCREEN 4.5" CASSETTE Remote Sold Separately											
	1' – 3' H	4' H	5' H	6' H	7' H	8' H	9' H	10' H	11' H	12' H		
3' W	\$2,181.90	\$2,181.90	\$2,323.65	\$2,442.30	\$2,692.20	\$2,730.00	\$2,826.60					
4' W	\$2,260.65	\$2,260.65	\$2,405.55	\$2,524.20	\$2,777.25	\$2,816.10	\$2,908.50					
5' W	\$2,337.30	\$2,337.30	\$2,484.30	\$2,606.10	\$2,856.00	\$2,895.90	\$2,992.50					
6' W	\$2,424.45	\$2,424.45	\$2,569.35	\$2,684.85	\$2,937.90	\$2,982.00	\$3,079.65					
7' W	\$2,505.30	\$2,505.30	\$2,650.20	\$2,774.10	\$3,024.00	\$3,063.90	\$3,161.55					
8' W	\$2,590.35	\$2,590.35	\$2,737.35	\$2,856.00	\$3,109.05	\$3,147.90	\$3,243.45					
9' W	\$2,674.35	\$2,674.35	\$2,819.25	\$2,934.75	\$3,184.65	\$3,235.05	\$3,327.45					
10' W	\$2,756.25	\$2,756.25	\$2,901.15	\$3,021.90	\$3,271.80	\$3,316.95	\$3,414.60					
11' W	\$2,835.00	\$2,835.00	\$2,985.15	\$3,100.65	\$3,353.70	\$3,395.70	\$3,495.45					
12' W	\$2,919.00	\$2,919.00	\$3,063.90	\$3,184.65	\$3,435.60	\$3,484.95	\$3,582.60					
13' W	\$3,003.00	\$3,003.00	\$3,147.90	\$3,269.70	\$3,519.60	\$3,566.85	\$3,661.35					
14' W	\$3,088.05	\$3,088.05	\$3,235.05	\$3,350.55	\$3,601.50	\$3,650.85	\$3,745.35					
15' W	\$3,168.90	\$3,168.90	\$3,313.80	\$3,432.45	\$3,685.50	\$3,734.85	\$3,832.50					
16' W	\$3,210.90	\$3,210.90	\$3,355.80	\$3,477.60	\$3,729.60	\$3,762.15	\$3,858.75					
16.5' W	\$3,253.95	\$3,253.95	\$3,398.85	\$3,519.60	\$3,772.65	\$3,804.15	\$3,900.75					

Round up to next foot for accurate pricing (e.g. a 10'1"w x 8'2"h opening would be 11'w x 9'h).

9+ SOLAR AND PRIVACY SCREEN 5.5" CASSETTE Remote Sold Separately										
	1' – 3' H	4' H	5' H	6' H	7' H	8' H	9' H	10' H	11' H	12' H
3' W	\$3,067.05	\$3,067.05	\$3,067.05	\$3,067.05	\$3,222.45	\$3,259.20	\$3,298.05	\$3,334.80	\$3,371.55	\$3,409.35
4' W	\$3,154.20	\$3,154.20	\$3,154.20	\$3,154.20	\$3,308.55	\$3,348.45	\$3,477.60	\$3,516.45	\$3,553.20	\$3,591.00
5' W	\$3,240.30	\$3,240.30	\$3,240.30	\$3,240.30	\$3,395.70	\$3,437.70	\$3,566.85	\$3,603.60	\$3,643.50	\$3,682.35
6' W	\$3,327.45	\$3,327.45	\$3,327.45	\$3,327.45	\$3,482.85	\$3,524.85	\$3,656.10	\$3,612.00	\$3,648.75	\$3,687.60
7' W	\$3,414.60	\$3,414.60	\$3,414.60	\$3,414.60	\$3,568.95	\$3,614.10	\$3,745.35	\$3,701.25	\$3,740.10	\$3,780.00
8' W	\$3,501.75	\$3,501.75	\$3,501.75	\$3,501.75	\$3,656.10	\$3,701.25	\$3,837.75	\$3,846.15	\$3,874.50	\$3,879.75
9' W	\$3,585.75	\$3,585.75	\$3,585.75	\$3,585.75	\$3,740.10	\$3,790.50	\$3,924.90	\$3,943.80	\$3,959.55	\$3,975.30
10' W	\$3,678.15	\$3,678.15	\$3,678.15	\$3,678.15	\$3,832.50	\$3,877.65	\$4,019.40	\$3,972.15	\$4,022.55	\$4,066.65
11' W	\$3,764.25	\$3,764.25	\$3,764.25	\$3,764.25	\$3,919.65	\$3,964.80	\$4,106.55	\$4,146.45	\$4,153.80	\$4,162.20
12' W	\$3,846.15	\$3,846.15	\$3,846.15	\$3,846.15	\$4,001.55	\$4,054.05	\$4,198.95	\$4,211.55	\$4,246.20	\$4,256.70
13' W	\$3,935.40	\$3,935.40	\$3,935.40	\$3,935.40	\$4,090.80	\$4,143.30	\$4,282.95	\$4,298.70	\$4,322.85	\$4,349.10
14' W	\$4,025.70	\$4,025.70	\$4,025.70	\$4,025.70	\$4,180.05	\$4,232.55	\$4,317.60	\$4,343.85	\$4,391.10	\$4,459.35
15' W	\$4,111.80	\$4,111.80	\$4,111.80	\$4,111.80	\$4,267.20	\$4,317.60	\$4,372.20	\$4,429.95	\$4,485.60	\$4,541.25
16' W	\$4,156.95	\$4,156.95	\$4,156.95	\$4,156.95	\$4,312.35	\$4,345.95	\$4,385.85	\$4,459.35	\$4,517.10	\$4,553.85
17' W	\$4,167.45	\$4,167.45	\$4,167.45	\$4,167.45	\$4,322.85	\$4,359.60	\$4,419.45	\$4,490.85	\$4,559.10	\$4,601.10
18' W	\$4,202.10	\$4,202.10	\$4,202.10	\$4,202.10	\$4,356.45	\$4,419.45	\$4,473.00	\$4,532.85	\$4,590.60	\$4,651.50
19' W	\$4,286.10	\$4,286.10	\$4,286.10	\$4,286.10	\$4,440.45	\$4,504.50	\$4,562.25	\$4,622.10	\$4,686.15	\$4,746.00
20' W	\$4,715.55	\$4,715.55	\$4,715.55	\$4,715.55	\$4,869.90	\$4,932.90	\$4,991.70	\$5,046.30	\$5,117.70	\$5,178.60

Round up to next foot for accurate pricing (e.g. a 10'1"w x 8'2"h opening would be 11'w x 9'h).

Vinyl Screens

Transform outdoor spaces into multi-season rooms with the outstanding climate control of vinyl screens. A transparent plastic panel provides a view while the screen is down. Features your choice of colored fabric borders. **Heavy-duty bottom bar is included.**

CLEAR VINYL WITH WEBLON. SURROUND

Provides climate control to the enclosed space while a transparent plastic panel maintains the view.

LIST PRICE

10+ VI	10+ VINYL SCREEN 5.5" CASSETTE Remote Sold Separately											
	1' – 3' H	4' H	5' H	6' H	7' H	8' H	9' H	10' H	11' H			
3' W	\$4,299.75	\$4,299.75	\$4,299.75	\$4,299.75	\$4,299.75	\$4,337.55	\$4,376.40	\$4,413.15	\$4,449.90			
4' W	\$4,386.90	\$4,386.90	\$4,386.90	\$4,386.90	\$4,386.90	\$4,426.80	\$4,555.95	\$4,594.80	\$4,631.55			
5' W	\$4,474.05	\$4,474.05	\$4,474.05	\$4,474.05	\$4,474.05	\$4,516.05	\$4,645.20	\$4,681.95	\$4,721.85			
6' W	\$4,561.20	\$4,561.20	\$4,561.20	\$4,561.20	\$4,561.20	\$4,603.20	\$4,734.45	\$4,690.35	\$4,727.10			
7' W	\$4,647.30	\$4,647.30	\$4,647.30	\$4,647.30	\$4,647.30	\$4,692.45	\$4,823.70	\$4,779.60	\$4,818.45			
8' W	\$4,734.45	\$4,734.45	\$4,734.45	\$4,734.45	\$4,734.45	\$4,779.60	\$4,916.10	\$4,924.50	\$4,952.85			
9' W	\$4,818.45	\$4,818.45	\$4,818.45	\$4,818.45	\$4,818.45	\$4,868.85	\$5,003.25	\$5,021.10	\$5,037.90			
10' W	\$4,910.85	\$4,910.85	\$4,910.85	\$4,910.85	\$4,910.85	\$4,956.00	\$5,097.75	\$5,050.50	\$5,100.90			
11' W	\$4,998.00	\$4,998.00	\$4,998.00	\$4,998.00	\$4,998.00	\$5,043.15	\$5,184.90	\$5,224.80	\$5,232.15			
12' W	\$5,079.90	\$5,079.90	\$5,079.90	\$5,079.90	\$5,079.90	\$5,132.40	\$5,277.30	\$5,289.90	\$5,324.55			
13' W	\$5,432.70	\$5,432.70	\$5,432.70	\$5,432.70	\$5,432.70	\$5,485.20	\$5,624.85	\$5,640.60	\$5,663.70			
14' W	\$5,521.95	\$5,521.95	\$5,521.95	\$5,521.95	\$5,521.95	\$5,574.45	\$5,658.45	\$5,684.70	\$5,733.00			
15' W	\$5,609.10	\$5,609.10	\$5,609.10	\$5,609.10	\$5,609.10	\$5,658.45	\$5,714.10	\$5,771.85	\$5,827.50			
16' W	\$5,653.20	\$5,653.20	\$5,653.20	\$5,653.20	\$5,653.20	\$5,687.85	\$5,726.70	\$5,801.25	\$5,859.00			
17' W	\$5,663.70	\$5,663.70	\$5,663.70	\$5,663.70	\$5,663.70	\$5,700.45	\$5,761.35	\$5,832.75	\$5,901.00			
18' W	\$5,698.35	\$5,698.35	\$5,698.35	\$5,698.35	\$5,698.35	\$5,761.35	\$5,813.85	\$5,874.75	\$5,932.50			

Round up to next foot for accurate pricing (e.g. a 10'1"w x 8'2"h opening would be 11'w x 9'h).

HAND-HELD REMOTES (All Remotes Are F	Purchased Sep	arately)				
Somfy 1 Channel Remote [Item 1810643] (Controls 1 screen.)						
Somfy 5 Channel Remote [Item 1810645] (5 Channel controls up to 5 screens or groups of screens.)						
Somfy 16 Channel Remote [Item 1811081] (16 Channel controls up to 16 screens or groups of sc	reens.)		\$392.70			
Somfy Situo 5 Soliris Sun Sensor 5 Channel Remote [Item 1870579] (Required to activate Sun Sensor option.)						
HD BOTTOM BAR (Option for 7+ and 9+ Mode	els)	OTHER ACCESSORIES				
Under 155" in Width	\$263.55	Somfy Sun & Wind Sensor [Item 9012500]	\$445.20			
Over 155" in Width	\$527.10	1" x 2" Angle (For use when inside mounting the screen.)	\$94.50			
BOTTOM BAR SEAL REPLACEMENT	PARTS	2" x 2" Angle (For use when inside mounting the screen.)	\$218.40			
Standard 1.5" Brush (Black)	\$10.50/Yard	Custom Frame Color (Standard RAL)	\$1,086.75			
Standard 2" Brush (Black)	\$32.55/Yard					
4" Rubber Seal (White, Black, Gray, Bronze, Ivory, Beige)	\$6.30/Foot					
6" Rubber Seal (Black or Gray) \$14.70/Foot Note: For items sold by foot or yard measurements, round up to even foot or yard.						

Heavy-Duty Bottom Bar

Available for upgrade on 7+ and 9+ models for extra wind resistance. Standard on 10+ model.

Screen Controls

Conveniently raise and lower the screen with the push of a button on the remote; or let the automatic sunwind sensor adjust the screen to match the weather.

SOMFY. REMOTE CONTROLS

Simultaneously operate up to 16 screens with the push of a button.

- 1 Channel controls 1 screen.
- 5 Channel controls up to 5 screens or groups of screens.
- 16 Channel controls up to 16 screens or groups of screens.

SOMFY. SUN-WIND SENSOR (Optional)

Automatically lowers up to 16 screens during intense sunlight and raises them during heavy winds.

PROFILES

Diagrams show models 6+ or 8+. Measurements are in inches.




Inside Mount


Scan the QR code to watch the installation video. These instructions describe an inside or recessed mount installation.



Outside Mount

Scan the QR code to watch the installation video. These instructions describe an outside or surface mount installation.






Measuring Guide:

RETRACTABLE MOTORIZED SCREEN - INSIDE MOUNT

Use these instructions to measure your opening for an inside mount motorized screen.

Supply the final width and final height when ordering.



Measure distances **A**, **B** and **C** in inches and record below. Take the narrowest measurement and **subtract half an inch**: This is your final width.



Measure distances **D** and **E** in inches and record below.

The highest measurement is your final height.


D Height E Height Final Height

Measuring Guide:

RETRACTABLE MOTORIZED SCREEN - OUTSIDE MOUNT

Use these instructions to measure your opening for an outside mount motorized screen.

Supply the final width and final height when ordering.



Measure distances A, B and C in inches and record below. Take the widest measurement and add 5 inches:

This is your final width.

Note: This will allow for the screen to be outside mounted without infringing on the daylight opening.

A Width B Wid	th C Width	Final Width
---------------	------------	-------------


Measure distances D and E in inches and record below. Take the highest measurement and add 10 inches:

This is your final height.

Note: This will allow for the housing and bottom bar to rest above the opening without infringing on the daylight opening. If there is a header, ceiling or other obstruction above the opening, you can add less than 10 inches to create the final height. However, this will cause the screen to infringe on the daylight opening.

		_			
 	l Heiaht l	I -	l Heiaht l	Final Height	
]	_	3		

5 YEAR



FRAME COLORS

White

Almond

Desert Tan

Brownstone

Black

NatureVue Retractable Window Screen

NatureVue NV100

FRESH AIR IS ALWAYS IN REACH

Transform every window into an opportunity for ventilation using the NatureVue retractable window screen.

TOP BENEFITS



Worry-free ventilation. Screen provides bug-free air when you need it and retracts out of sight when you don't.



Custom-made ventilation. Designed to window openings up to 72" wide and up to 90" high.

ADDITIONAL FEATURES

- Features a durable finish and BetterVue, fabric.
- A speed reducer provides controlled vertical retraction.
- Thick insect pile seals out insects.
- Includes a metal handle.
- Designed for easy recessed or surface mount installation.

LIST PRICE

NATUREVUE NV100						
FINISH COLOR	WIDTH MIN-MAX	HEIGHT MIN-MAX	BETTERVUE SCREEN			
White	16-1/2" - 60"	12" - 72"	\$176.40			
Almond	16-1/2" - 60"	72-1/8" – 90"	\$207.90			
Desert Tan Brownstone	60-1/8" - 72"	12" - 72"	\$199.50			
Black	60-1/8" - 72"	72-1/8" – 90"	\$255.15			

Measuring Guide:

RETRACTABLE WINDOW SCREEN

Measuring for the net screen opening dimensions of a retractable window screen.

There are many different window frame designs and operation types, each with their own mounting requirements. Before measuring, determine the screen placement that will provide the best stability, operation and appearance. Window frame stylization and decorative mouldings may require that you install shims so that the screen can be installed in a stable, plumb and level manner.

Begin by determining the net screen opening dimension (width x height) as measured from the outermost edges of where the retractable screen will rest (see image A). Screens are then made to fit the net screen opening dimensions. We recommend deducting an additional 1/16" from the width and height dimensions in order to assure the screen is not too tight in the opening during installation.

All window screen orders default to inside the frame (recessed) mounting unless specifically noted that the screen will be used for outside (surface) mounting. When outside (surface) mounting a window screen, please note the type of mounting and then provide the net screen opening dimensions as defined as:

- Width: The tip-to-tip measurement of the final assembled screen cassette (see image A).
- Height: The measurement from the outermost edge where the screen cassette will rest to the tip of the side guide rail end cap (see image A).

The following illustrations show how to measure the net screen opening dimension of a retractable window screen.






Image B

The NatureVue retractable window screen can be installed in one of two orientations so that the protruding area of the cassette faces away (most typical - see image C), or toward the window frame (see image D). The most typical way is for the protruding area of the cassette to face away from the frame. However, it can be useful to reverse the orientation of the cassette for aesthetic reasons or to avoid existing window hardware. For further detail, refer to the Larson installation instructions for the retractable window screen model.



Image C



Image D

Pneumatic Door Closers

Designed for outswing metal, wood or composite storm and screen doors.



HEAVY-DUTY CLOSERS CH1020306 & CH1020506 (Case of 6)

Measuring 12-5/8" center hole to center hole and 1-1/2" in diameter, the heavy-duty closer is built for single-closer use on medium- and heavy-weight doors. Includes mounting brackets and attaching hardware.

STANDARD-DUTY CLOSERS CH1040306 & CH1040506 (Case of 6)

Measuring 12-5/8" center hole to center hole and 1-1/4" in diameter, the standard-duty closer is built for single-closer use on light- and medium-weight doors or for dual-closer use on heavy doors. Includes mounting brackets and attaching hardware.



White



Black

STANDARD-DUTY CLOSERS WITH HOLD-OPEN FEATURE

CH1030306 & CH1030506

(Case of 6)

Measuring 12-5/8" center hole to center hole and 1-1/4" in diameter, the standard-duty closer is built for single-closer use on light- and medium-weight doors or for dual-closer use on heavy doors. Hold-open feature offers a hands-free way to keep the door open. Includes mounting brackets and attaching hardware.

PART #	DESCRIPTION	FINISH	CASE QUANTITY (6 PER CASE)	LIST PRICE
CH1020306	Heavy-Duty Closer	White	1	\$76.6E
CH1020506	Heavy-Duty Closer	Black	1	\$76.65
CH1040306	Standard-Duty Closer	White	1	202.00
CH1040506	Standard-Duty Closer	Black	1	\$63.00
CH1030306	Standard-Duty Closer with Hold-Open Feature	White	1	044.45
CH1030506	Standard-Duty Closer with Hold-Open Feature	Black	1	\$114.45

Handlesets

Includes detailed instructions, mounting templates and all required installation hardware.







REVERE MORTISE HANDLESETS CH3040706, CH3041706 & CH3045706 (Case of 6)

This locking mortise handleset fits doors 1-1/8" to 2" thick with a 5/8" by 5-3/4" mortise hole. Comes with reversible levers for right- or left-handing.

PART#	FINISH	CASE QUANTITY (6 PER CASE)	LIST PRICE
CH3040706	Brass	1	
CH3041706	Brushed Nickel	1	\$550.20
CH3045706	Aged Bronze	1	





M2 MORTISE HANDLESETS CH3020706, CH3021706 & CH3025706 (Case of 6)

Made exclusively for Larson doors, this handleset fits doors 3/4" thick with a 9/16" by 1-1/8" mortise hole. Includes the added security of a keyed lock.

PART #	FINISH	CASE QUANTITY (6 PER CASE)	LIST PRICE
CH3020706	Brass	1	
CH3021706	Brushed Nickel	1	\$418.95
CH3025706	Aged Bronze	1	





GEORGIAN LEVER SURFACE MOUNTED HANDLESETS

CH3010306 & CH3010706

(Case of 6)

This classic Georgian surface mount handleset uses a single-piece face plate to replace existing hardware on most doors. Fits doors 3/4" to 1-1/8" thick with a 1-3/4" hole space.

PART #	FINISH	CASE QUANTITY (6 PER CASE)	LIST PRICE
CH3010306	White	1	\$174.30
CH3010706	Brass	1	\$208.95

Handlesets

Includes detailed instructions, mounting templates and all required installation hardware.





EURO PUSH-BUTTON SURFACE MOUNTED HANDLESETS

CH2000306 & CH2000506 (Case of 6)

The elegant Euro push-button handleset fits doors 3/4" to 1-1/4" thick with a standard hole spacing of 1-3/4". Includes a color-matched surround plate and an interior paddle latch with a no-lockout feature.

PART#	FINISH	CASE QUANTITY (6 PER CASE)	LIST PRICE
CH2000306	White	1	\$124.95
CH2000506	Black	1	\$124.95



HEAVY-DUTY PUSH-BUTTON SURFACE MOUNTED KEYED HANDLESETS

CH2010306

(Case of 6)

This heavy-duty push-button handleset fits doors 3/4" to 1-1/4" thick with a standard hole spacing of 1-3/4". Includes a color-matched surround plate, keyed lock and interior paddle latch with a no-lockout feature.

PART #	FINISH	CASE QUANTITY (6 PER CASE)	LIST PRICE
CH2010306	White	1	\$192.15



EURO LIFT LEVER SURFACE MOUNTED HANDLESETS

CH4010306 & CH4010506

(Case of 6)

The smooth-action Euro lift lever handleset fits doors 3/4" to 1-1/4" thick with a standard hole spacing of 1-3/4". Includes a color-matched surround plate and interior paddle latch with a no-lockout feature.

PART #	FINISH	CASE QUANTITY (6 PER CASE)	LIST PRICE
CH4010306	White	1	\$124.0F
CH4010506	Black	1	\$124.95

Wind Chains

Wind chains help to absorb some of the shock if the door suddenly blows open from high winds. If installed properly, this can potentially minimize damage to door closers, closer brackets, and door hinges. Allows the door to open a full 90-degrees.





STORM DOOR CHAIN CH9010106 & CH9010506 (Case of 6)



PART #	FINISH	CASE QUANTITY (6 PER CASE)	LIST PRICE
CH9010106	Zinc	1	625.70
CH9010506	Black	1	\$35.70

Door Sweeps

Includes two 38" long double-sweep pieces. Can be used to replace single sweeps for an even tighter seal. Fits all Larson storm doors manufactured after 2000. Not compatible with wood core doors with composite expanders.



STORM DOOR SWEEP CH9030506 (Case of 6)

PART #	FINISH	CASE QUANTITY (6 PER CASE)	LIST PRICE
CH9030506	Black	1	\$63.00



Replaces these profiles:









Replacement Closer Kits & Miscellaneous Accessories

REPLACEMENT CLOSER KITS				
PART #	DESCRIPTION	COI	LOR	LIST PRICE
202655xx	1/222 01	White	Sandstone	\$38.95
202055XX	V920 Closer	Almond	Brown	
202665xx	V150 Closer	White	Almond	\$40.95
202562xx	V920 Double Closer	White	Brown	
		Almond	Black	\$51.45
		Sandstone		
	Two-Closer System 1 Step-to-Hold 1 Standard Closer	White	Brown	\$63.00
202789xx		Almond	Graphite	
		Sandstone	Black	
		White	Bordeaux ¹	
203000xx	150 Maximum View Closer Kit with SureLatch	Almond	Graphite	675.00
		Sandstone	Black	\$75.00
		Brown		





V920 Closer

V150 Closer





V920 Double Closer

Two-Closer System



150 Maximum View Closer with SureLatch

	ologo, min calculation					
MISCELLANEOUS ACCESSORIES						
PRODUCT	LIST PRICE	PRODUCT	LIST PRICE			
Hinge Rail	\$55.65	Touch Up Paint Bottle	\$24.15			
Latch Rail	\$51.45	Touch Up Paint Spray	\$28.35			
Drip Cap	\$34.65	Pet Flap - Medium #202821 8x12 (146PV)	\$36.75			
Retainer Strip - Fullview	\$34.65	Pet Flap - Large #202746 10x17 (370-79, 360-79)	\$43.05			
Aluminum Color-Matched Expander with Sweep	\$47.25	Pet Flap - XL #202728 14x23 (370-78)	\$67.20			
White Vinyl Expander with Sweep	\$32.55					

EXPANDER SPLINES PART # 2029498R 2029496R 2023197R 2023196R 202313 33923 LIST PRICE \$21.00 \$15.75 \$13.65

For discontinued or miscellaneous replacement parts call Larson at 1-800-334-1328.

Glass & Screen Inserts

When placing an order, please provide door color, size and model or tip-to-tip measurement of insert.


Registration number required for proper size and pricing.

GLASS INSERTS						
PRODUCT	PART #	GLASS TYPE	LIST PRICE			
Maximum View	Specify Model	Plain	\$131.00			
Fixed Light	Specify Model	Decorative	\$204.00			
Maximum View Fixed Light Low-E	Specify Model	Plain	\$192.00			
Fullview Fixed Light	Specify Model	Plain	\$124.95			
	Specify Model	Decorative	\$194.25			
Fullview Low-E	Specify Model	Low-E Glass	\$182.70			
Highview Fixed Light	Specify Model	Plain	\$86.10			
Midview	Chasify Madal	Plain	672.50			
Highview	Specify Model	riain	\$73.50			


SCREEN INSERTS					
MAXIMUM VIEW	FULLVIEW	MIDVIEW	HIGHVIEW		
\$70.00	\$67.20	\$63.00	\$63.00		

RETRACTABLE SCREEN REPLACEMENT KIT	
Retractable Screen	\$55.65

Contains new screen tube with screen and spring unit and easy-to-follow installation instructions.



146 EASY VENT GLASS INSERTS					
OPTION	FULLVIEW	MIDVIEW	HIGHVIEW		
146 Clear Glass					
Top Glass with Screen		\$92.40			
Bottom Clear Glass (Pet Door Not Included)	\$73.50	\$71.40			
146 Low-E Glass					
Top Low-E Glass with Screen	\$120.75				
Low-E Bottom Glass	\$101.85				
146 Easy Vent Pet					
Top Glass with Screen	\$92.40				
Bottom Clear Glass with Pet Door (Available for Use on 146)	\$264.60				
146 Easy Vent Bevel Glass					
Top Bevel Glass with Screen	\$120.7E				
Bottom Bevel Glass	\$120.75				



Exterior/Interior Handlesets with Closer Kits

	HANDLESET	SERIES / MODEL			PART #	COLOR / FINISH	LIST PRICE
9	Push-Button with Keyed Lock and		Reversa Screen		#20269103	White	\$63.00
	FlexGuard Closer Includes Flexguard Closers	370-50			#20269104	Brown	ÇOSIOC
	Lever Surface Mount		#20298403	White	\$51.45		
	Includes a V920 Closer	360-48 360-79	360-48			Brown	
0	White or Black Push-Button	Lifestyle	Value-Core 380-05	Life-Core 298-SS	#202878103	White	\$42.05
	Includes a V920 Closer	830-46			#202878105	Black	\$43.05
5	Modern Mortise Style Keyed Secure Lock	Lifestyle 2.0 370-84			#20281817	Brushed Nickel	\$78.75
		Lifestyle 691-90			#20275307	Brass	
	Mortise Style Keyed Secure Lock	Lifestyle 69	91-52		#20275317	Brushed Nickel	\$78.75
		Lifestyle 69	91-55		#20275357	Aged Bronze	
		Lifestyle 830-80			#20275207	Brass	
	Mortise Style Secure Lock	Lifestyle 83	30-82		#20275217	Brushed Nickel	\$59.85
		Lifestyle 83	30-85		#20275257	Aged Bronze	
		Life-Core 278-SS 370-79 370-78			#20275203	White	
	Mortise Style Color-Match				#20275204	Brown	\$51.45
	Secure Lock				#20275208	Almond	331,43
						Sandstone	

Exterior/Interior Handleset Kits

HANDLESET	SERIES / MODEL		PART #	COLOR / FINISH	LIST PRICE	REKEYABLE OUTSIDE TRIM PLATE ¹	
Mortise Style Built-in Deadbolt	Easy Vent Selection 146FVE (Fullview Low-E) 146FV (Fullview) 146BV (Decorative Bevel) 146MV (Midview) 146HV (Highview) 146PV (Pet Door)		#08716117	Brushed Nickel	or S Reke	Optional to match Kwikset or Schlage entry door. Rekeying to be performed by locksmith. ¹	
Includes QuickFit Handleset and Replacement			#08716157	Aged Bronze			
Instructions. QuickFit [™]		Curved	#08716153	Matte Black		Brushed Aged	
	150 Maximum View Series 150FX (Fullview) 150FXE (Fullview Low-E) 150BX (Decorative Bevel) Platinum Collection 456FV (Retractable Screen) 456FVE (Retractable Screen Low-E) 459FV (Interchangeable Screen) 459FVE (Interchangeable Screen Low-E) 450-18 (Secure Screen) 449-04 (Secure Glass)		#08716107	Brass	400.00	Nickel Bronze	
•		50BX (Decorative Bevel)		#08716120	Antique Brass	\$63.00	Brass Antique Brass
			#08719117	Brushed Nickel		Not available in White, Brown Sandstone or Matte Black.	
0		Stra	#08719157	Aged Bronze			
			#08719153	Matte Black		List Price: \$43.05	



Sales Policy



Order the easy way at: larsondoors.com/dealer.

For fast, convenient ordering, use the Larson Easy Ordering system. Enter orders on your own time with immediate confirmation of costs, freight information and ship dates. To get started, visit larsondoors.com/dealer and provide an email address along with business name, address and contact information. Or, email your account information to: webdealers@larsondoors.com.

EMAIL & TELEPHONE ORDERS

- 1. Orders will be processed as given. Larson Manufacturing Company, LLC will not be held responsible for errors on email or phone orders.
- 2. An email confirmation of the order will be sent within a few hours. Please verify the information and call with any changes.
- 3. Review the order carefully. Orders for custom products may not be modified or canceled once they have been placed. Other orders may be canceled within the first 24 hours.

Note: Prices shown in this catalog are Larson List Prices.

SHIPPING & HANDLING

Ground Delivery:

Shipping and handling charges may apply. All products included.

RETURNS

For material shortages, errors, or damaged or defective product, please notify our office immediately.

Pre-authorization of returns for credit is required for all standard size doors and subject to a 15% restocking charge. If product is returned on a carrier, a freight charge may also be assessed. Do not deduct any credits on returned merchandise from the invoice when remitting. Credit memos will be issued from our corporate office.

Note: Once placed, custom door orders cannot be canceled. For warranty questions please visit **larsondoors.com/warranty**.

Dealer Line: 1-800-334-1328 **Homeowner Helpline:** 1-888-483-3768

Special project? We've got you covered.

Our team is ready to assist with your special requests, custom product orders and volume buys. Price quotes on all Larson, products are available for special building projects. Minimum quantities may apply. Stock replenishment excluded.

BULK & SPECIALITY ORDERS

To receive quotes for large quantity and specialty orders, email: quotes@larsondoors.com

STANDARD ORDER QUOTES

To receive quotes for non-specialty, low-volume orders, email: dealerdirect@larsondoors.com or call: 1-800-334-1328



Helpful Resources

Warranty Documents

Enjoy with confidence. Find complete product and component warranties by scanning the QR code or visiting larsondoors.com/warranty.



Measuring Guides

Get the right fit. Use the measuring guides at the end of each product section to order the correct size for your project. Follow the index on the next page to quickly find the right guide. Find additional information about measuring for storm doors at larsondoors.com/storm-doors/storm-doors-how-to-measure.

Replacement Parts

Missing or broken part? Find a replacement in pages 92-95 or order online at parts.larsondoors.com.

Customer Service

Need help? We have the expertise and resources to help you with all your product, installation or warranty questions. Visit us at larsondoors.com/support to explore our library of resources or to talk to us directly by phone or chat.

Index

STORM DOORS		RETRACTABLE SCREEN PRODU	JCTS
146 Easy Vent Selection	20	E100 Escape Retractable Screen Door	70
150 Maximum View	22	E200 Escape Retractable Screen Door	70
278-SS Life-Core Single-Vent	38	IN100 Inspire Pleated Retractable Screen Door	68
298-SS Life-Core Composite Surface Single-Vent	40	NV100 NatureVue Retractable Window Screen	86
350 Classic-View Fullview	25	WS1000 Retratable Wall Screen	74
356 Lifestyle Fullview Screen Away	28	WS2000 Retractable Wall Screen	74
360-16/660-16 Classic-View Reversa Screen	37	FRENCH DOOR KITS	
360-48 WearTuff Full Screen	26	Opening Size Availability	42
360-49 Pet Breeze	33	Conversion Kits	43
360-79 Classic-View Pet View	32	MEASURING GUIDES	
370 Life-Core Pet Single-Vent	34	7721 Brisa Retractable Screen Door	63
370-50 Life-Core Reversa Screen	36	7722 Brisa Retractable Screen Door	65
370-84 Lifestyle 2.0 Midview Screen Away	30	7723 Brisa Retractable Screen Door	66
380-05 Mobile Home Single-Vent	39	Double Panel Door Screens	73
449 Platinum Secure Glass	14	Existing French Door Opening	45
450 Platinum Secure Screen	16	Platinum Collection	18
456 Platinum Retractable Screen	10	Retractable Motorized Screen - Inside Mount	84
459 Platinum Interchangeable Full Glass	12	Retractable Motorized Screen - Outside Mount	85
691 Lifestyle Highview Screen Away	31	Retractable Window Screen	87
830 Lifestyle Midview Screen Away	29	Security Round Tops	53
SECURITY STORM DOORS		Security Storm Doors	51
920-20 Courtyard	48	Single Panel Door Screens	72
920-21 Garden View	48	Universal-Hinged Storm Doors	41
920-24 Geneva	48	Wall Screen & Inspire Multi-Panel Screens	77
920-28 El Dorado	48	RETAIL HARDWARE	
920-36 SoHo	48	Door Sweeps	91
Security Round Top - Courtyard	52	Handlesets	89
Security Round Top – Fullview	52	Pneumatic Door Closers	88
RETRACTABLE SCREEN PRODU	CTS	Wind Chains	91
6+ Retractable Motorized Screen	80	PARTS & ACCESSORIES	
7+ Retractable Motorized Screen	80	Expander Splines	92
8+ Retractable Motorized Screen	81	Exterior / Interior Handlesets	95
9+ Retractable Motorized Screen	81	Exterior / Interior Handlesets with Closer Kits	94
10+ Retractable Motorized Screen	82	Glass & Screen Inserts	93
7721 Brisa Retractable Screen Door	58	Miscellaneous Accessories	92
7722 Brisa Retractable Screen Door	58	Replacement Closers	92
7723 Brisa Retractable Screen Door	58		1





Larson is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park.



STORM AND VENTING DOORS · PET-FRIENDLY OPTIONS · RETRACTABLE SCREENS



larsondoors.com

1-888-483-3768

2333 Eastbrook Drive Brookings, SD 57006











#larsondoors

Cover: 150 Maximum View, Brown Frame, Curved Antique Bronze QuickFit Handleset Back Cover: 360-79 Classic-View Pet View, White Frame

©2025 Larson Manufacturing Company, LLC. All rights reserved. LARSON and the Larson logo are trademarks of Larson Manufacturing Company, LLC. Registered trademarks are registered in the U.S. and may be registered internationally. Larson Manufacturing Company, LLC. is an operating company of Fortune Brands Innovations, Inc. All trademarks are property of their respective owners.