
Craftsman Doors & Sidelites



Where Home Begins...






The beauty of choice.

You're in expert hands with Therma-Tru, the most preferred brand of entry doors. Year after year, building professionals rank Therma-Tru #1 – as the brand they use most.* It's a reputation built on more than 60 years of experience and technical know-how. Therma-Tru introduced the world to fiberglass doors and continues to make door systems that are held to high standards for quality and performance.

That's where the beauty of choosing Therma-Tru begins.

Classic Craft_® Artíssa Collection_™

Rooted in simple nostalgia, the Artíssa Collection pays homage to the handmade culture of the American Arts and Crafts movement. Highlighting the beauty of straight-forward design, this selection of premium Classic Craft. doors features clean lines, Shaker styling and Craftsman-inspired glass for a casual and welcoming approach to the entryway.



True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain_® technology.



Fir Grain

Formerly Classic-Craft American Style

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.

Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.

Classic Craft_® Craftsman-Lite Options & Accessories

Decorative & Specialty Glass Designs





Black Nickel



Homeward_™

Glass Privacy Rating: 4



Arborwatch_®*
Glass Privacy Rating: **6**




Privacy & Textured Glass






Chord (XC)
Glass Privacy Rating: 10



Chinchilla (XJ)
Glass Privacy Rating: 10



Rainglass (XR)
Glass Privacy Rating: 8



Granite (XN)
Glass Privacy Rating: 10

Also Available: Divided Lites, Low-E Glass

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

^{*}The use of pale amber artique glass varies based on glass size. Refer to the image on the back cover to see an example on a home.

^{**}Pairs with 3'6" wide doors.

^{***}Brand Use Studies, 2021 *Builder* and 2019 *Remodeling* magazines.

EnLiten™ Flush-Glazed Designs

All Classic Craft Craftsman doors and sidelites are made with flush-glazed glass for a truly seamless, consistent appearance and a high-performance weather seal. Look for the (▲) and (▲) icons.

Simulated Divided Lites (SDLs)

Available to create authentic Craftsman glass configurations.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft. Fir Grain 4-Block Dentil Shelf



Classic Craft. Fir Grain 4-Block Dentil Shelf**



Classic Craft. Fir Grain 16-Block Dentil Shelf



Classic Craft. Canvas 4-Block Dentil Shelf





Uniquely designed by Therma-Tru, Classic Craft complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.*** This comprehensive lifetime limited warranty can TRANSFERABLE be transferred one time to a new owner, should you ever sell your home.



Classic Craft, Fir Grain



Canvas

Homeward_™ ◆::







CCA87132 3'6"x 8'0"



CCA211 CCA8211 3'0"x 6'8" 3'0"x 8'0"



3'6"x 8'0"



CCA3401SL 12"x 6'8" 14"x 6'8"

CCA3501SL 12"x 8'0" 14"x 8'0"



Low-E Glass (LE)

Flush-Glazed Glass with Detailed Sticking (FG)

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

XC = ChordXR = Rainglass XJ = Chinchilla XN = Granite

Arborwatch. +::



3'0"x 6'8" 12"x 6'8" 14" x 6'8"



CCA87131 **3**'6"x 8'0"



3'0"x 6'8" 3'0"x 8'0"



CCA87111 3'6"x 8'0"

Optional Dentil Shelves

Classic Craft. Fir Grain 4-Block

Classic Craft. Fir Grain 4-Block*

Classic Craft. Fir Grain 16-Block

Privacy & Textured Glass







12"x 6'8" 14"x 6'8"

CCA1423SL

CCA81423SL 12" x 8'0" 14"x 8'0"

CCA9100SL 12" x 6'8" 14" x 6'8"





Low-E Glass



Classic Craft_® Fir Grain



Canvas

Low-E Glass Continued







CCA87600 **♦ * ■** 3'6"x 8'0"



CCA8210 3'0"x 6'8" 3'0"x 8'0"



♦ * ■ 12"x 6'8" 3'6"x 8'0" 14"x 6'8"



CCA3560SL **♦ * ■** 12"x 8'0" 14"x 8'0"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Simulated Divided Lites (SDL)
- Door Divided Bars (DDBF5)





12"x 6'8"

14"x 6'8"



CCA210SL

Solid Panel



3'0"x 6'8" 3'0"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

XC = ChordXR = Rainglass XJ = Chinchilla XN = Granite

Optional Dentil Shelves

Classic Craft, Fir Grain 4-Block

Classic Craft. Fir Grain 4-Block*

Classic Craft. Fir Grain 16-Block

Classic Craft. Canvas 4-Block



*Pairs with 3'6" wide doors. Top: Classic Craft Fir Grain, Homeward Glass, Door - CCA211, Sidelites - CCA3401SL, Transom - HWRT, Dentil Shelf,

Classic Craft_® Canvas




Privacy & Textured Glass



Low-E Glass






Fiber-Classic.



Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.

Smooth-Star.



Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



Contributes to an energy-efficient home and is backed by the industry's most comprehensive lifetime limited warranty.

Fiber-Classic & Smooth-Star Craftsman-Lite Options & Accessories

Decorative & Specialty Glass Designs



Sedona

Glass Privacy Rating: 7



Maple Park®

Glass Privacy Rating: 6



ck Nickel Brus

Saratoga™ Glass Privacy Rating: **7**



Wrought Iron

Riserva_®

Glass Privacy Rating: 10



Pembridge_{TM}

Glass Privacy Rating: 7



Axis_®


Glass Privacy Rating: 7



Privacy & Textured Glass

Also Available: Divided Lites, Clear Glass

Glass Privacy Rating Scale



SDL Bar Options*

Fiber-Classic

Buff-Grained Scrolled (28.6 mm / 1.125 in.) Look for the (\blacksquare) icon.



Buff-Grained Flat (28.6 mm / 1.125 in.) Look for the (1) icon.

Smooth-Star

Smooth Flat (28.6 mm / 1.125 in.) Look for the () icon.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Smooth-Star. 4-Block Dentil Shelf*



EnLiten™ Flush-Glazed Designs

During construction, double- or triple-pane glass is built directly into the door during the manufacturing process, providing enduring strength and durability to the unit.

Look for the () icons and / or a blue highlight.

Fiber-Classic. Mahogany Collection™

Features deep Mahogany graining.

Smooth-Star.

Features a smooth, ready-to-paint surface.

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**
- Brass Caming (1A)
- Wrought Iron (1W)
- E Elevated 10" Bottom Rail Options
- Flat Lite Frame
- **NEW Scrolled & Flat** Advanta Lite Frame
- **NEW Flat Advanta** Lite Frame
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- **WBDR Options**
- 6 WBDR / HVHZ Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

Optional Dentil Shelves



Fiber-Classic. Mahogany Collection. & Smooth-Star®

Sedona +::



FCM604 2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"



FCM816SL 10"x 6'8" 12"x 6'8" 14"x 6'8"



2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

S2650* **⊸** | **E** | **0** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"




2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S8604

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"



_4 🔏 12"x 6'8" 14"x 6'8"

S139SL S604SL **_** • • <u>/</u> 10"x 6'8" 12"x 6'8"

14"x 6'8"

Maple Park. +::



FCM609 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8'



10"x 6'8" 12"x 6'8" 14"x 6'8'



164

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

_16 E □ 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



6

2'8"x 8'0"

3'0"x 8'0"

2'10"x 8'0"

2'8"x 6'8" 2'10"x 6'8' 3'0"x 6'8'



161 12"x 6'8" 14"x 6'8"



S6131SL 10"x 6'8" 12"x 6'8" 14"x 6'8'

EnLiten Flush-Glazed Saratoga ◆==



FCM6240 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"




FCM6201SL 12"x 6'8" 14"x 6'8"



S6240 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")



S86240 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6201SL 10"x 6'8" 12"x 6'8" (7'0") 14"x 6'8" (7'0")

12" x 8'0"

14"x 8'0"



S6240SL S86240SL 12"x 8'0" 12"x 6'8" 14" x 6'8" 14"x 8'0"

^{*}Available with flat lite frame or Advanta flat lite frame only.

^{**}Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

^{***}Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Saratoga_™ ♦::



FCM602 2'8"x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FCM815SL 10"x 6'8" 12"x 6'8" 14"x 6'8"



2'10"x 8'0"

3'0"x 8'0"


S2660** 2'10"x 6'8" 3'0"x 6'8"



2'10"x 8'0"

3'0"x 8'0"

2'10"x 6'8" 3'0" x 6'8"



S154SL **16 1** 12" x 6'8" 14"x 6'8"



S602SL 10"x 6'8" 12"x 6'8" 14"x 6'8"



Riserva. X



FCM508 6 🛮 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM572SL 12"x 6'8" 14"x 6'8'



S82670**

2'8"x 8'0" 2'10"x 8'0"

3'0"x 8'0"

S2670** 16E4 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$508 **6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'10"x 8'0" 3'0"x 8'0"



12"x 8'0"

14"x 8'0"

\$573\$L 16 1 5 2 12"x 6'8" 14"x 6'8" | \$8573\$L 12"x 8'0" 14"x 8'0" 14"x 8'0"



S572SL 10"x 6'8" 12"x 6'8" 14"x 6'8"

\$8572\$L 12"x 8'0" 14"x 8'0"

Pembridge_™ ♦::•



FCM6520 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FCM6500SL 10"x 6'8" 12"x 6'8" 14"x 6'8"



S2640** 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"




S82640** **16** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S6520 6 2 2'8"x 6'8" 2'10"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

6



S6550SL **19 1** 12"x 6'8" 14"x 6'8"



S86550SL S6500SL 10"x 6'8" 14"x 8'0" 12"x 6'8"

14"x 6'8"

S86500SL

12"x 8'0" 14"x 8'0"

Axis.



FCM1650 2'10"x 6'8" 3'0"x 6'8"

Fiber-Classic₀ Mahogany Collection™

Features deep Mahogany graining.

Smooth-Star.

Features a smooth, ready-to-paint surface.

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- ***** Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- E Elevated 10" Bottom Rail Options
- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Flat Advanta Lite Frame
- NEW Scrolled
 Advanta Lite Frame
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- **9** WBDR Options
- **6** WBDR / HVHZ Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

- XE = Satin Etch
- $\mathbf{XC} = \mathbf{Chord}$
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

Optional Dentil Shelves



Fiber-Classic_® Mahogany Collection_™ & Smooth-Star_® Continued

Axis. Continued



EnLiten™ Flush-Glazed Privacy & Textured Glass






^{*}Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

^{**}Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.



Privacy & Textured Glass





Fiber-Classic. Mahogany Collection...

Features deep Mahogany graining.

Smooth-Star.

Features a smooth, ready-to-paint surface.

Key

- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- * Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)

 Contour or Flat White Grilles
- Between Glass (GBGC / GBGF)
- Contour or Flat Almond Grilles Between Glass (GBGC / GBGF)
- Contour or Flat Bronze Grilles
 Between Glass (GBGC / GBGF)
- ♦ Contour or Flat Black Grilles Between Glass (GBGC / GBGF)
- E Elevated 10" Bottom Rail Options
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Flat Advanta Lite Frame
- NEW Scrolled
 Advanta Lite Frame
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- WBDR Options
- WBDR / HVHZ Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination.

XE = Satin Etch XC = Chord XJ = Chinchilla

XR = Rainglass

XN = Granite

Optional Dentil Shelves



Fiber-Classic_® Mahogany Collection_™ & Smooth-Star_® Continued


Privacy & Textured Glass Continued

















Fiber-Classic. Mahogany Collection...

Features deep Mahogany graining.

Smooth-Star.

Features a smooth, ready-to-paint surface.

Profiles_™ Steel

Features a 24-gauge steel, smooth surface.

Key


- No Stile Lines
- * Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Contour or Flat White Grilles
 Between Glass (GBGC / GBGF)
- Contour or Flat Almond Grilles Between Glass (GBGC / GBGF)
- ♦ Contour or Flat Bronze Grilles Between Glass (GBGC / GBGF)
- Contour or Flat Black Grilles Between Glass (GBGC / GBGF)
- Fixed Grilles (FXG)
- E Elevated 10" Bottom Rail Options
- NEW Scrolled & Flat
 Advanta Lite Frame
- NEW Flat Advanta Lite Frame
- NEW Scrolled
 Advanta Lite Frame
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- **WBDR Options**
- WBDR / HVHZ Options
- Fire-Rated Wood Edge**
 (20-Minute)

Optional Dentil Shelves



Fiber-Classic_® Mahogany Collection_™ & Smooth-Star_® Continued

Clear Glass Continued







^{*}Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

^{**}To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

^{***}Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Solid Panel





FMF600

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



\$4800 **9 E**

SSF4800 **6 ♦ E**

2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

SSF84800



\$600

SSF600

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

Profiles™ Steel

Solid Panel



203HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"









thermatru.com 1-800-THERMA-TRU (843-7628) 1750 Indian Wood Circle Maumee, OH 43537











Cover: Smooth-Star, Saratoga Glass, Door – S86240, Sidelites – S86240SL, Finish – Granite

Top: Classic Craft Fir Grain, Arborwatch Glass with SDLs, Door – CCA9100, Sidelites – CCA9100SL, Finish – Garnet

Bottom: Smooth-Star, Low-E Glass with SDLs, Door – S4814, Sidelites – S4812SL, Finish – Onyx

©2022 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. Part #MAFCDSB22 MTZT / DEC 2021